Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



LIBRARY


O'S' Deliverque &

DEC 1893

No. 3.

PRICE LIST

California Nursery Company.




Niles,

Alameda Co.,

California.

BACON PRINTING COMPANY, S. F.




INCORPORATED, 1884.

500 ACRES.

600

PRICE LIST



Fruit and Ornamental Grees,

SMALL FRUITS,

EVERGREENS, ROSES, ETC.

OF THE

California Nursery Co.

NILES, ALAMEDA CO., CALIFORNIA.

Season of 1893-'94. Nov. 1st, 1893.



LOCATION.

One-half mile north of Niles Station, Central Pacific Railroad.

TELEPHONE CONNECTION FROM STATION TO OFFICE.

SAN FRANCISCO.

BACON PRINTING COMPANY,

508 Clay Street.

4 g

TO CORRESPONDENTS.

- Ist. The articles on the following list will be furnished at the annexed prices only when the quantity specified shall be taken. FIVE HUNDRED will be furnished at the THOUSAND rate, FIFTY at the HUNDRED rate, and FIVE at the TEN rate.
- 2d. Orders should be sent in as early as possible, as it will be our rule to execute them in the order in which they are received.
- 3d. All orders should be legibly written out on a separate sheet, and not mixed up in the body of the letter, thereby saving us a great deal of trouble, and tending to prevent mistakes.
- 4th. Where particular varieties are ordered, and particular ages and sizes of trees, kind of stock, etc., it should be stated whether, and to what extent, substitution will be allowed, in case the order cannot be filled to the letter, as happens occasionally in all establishments. Where no instructions in this respect accompany the order, we shall feel at liberty to substitute other varieties as nearly similar as possible. If the selection of varieties is left entirely to us, we shall endeavor to send only such sorts as are acknowledged to give general satisfaction.
- 5th. All trees and plants are carefully labeled, and securely packed in the best manner, for which a moderate charge, sufficient to cover cost of material only, will be made; but no charge is made for the delivery of packages at the railroad or express offices at Niles.
- 6th. It is requested that explicit directions for marking and shipping packages accompany each order. When it is left for us to choose the mode of conveyance, we will exercise our best judgment; but as all articles are at the risk of the purchaser after being shipped, we must not be held responsible for any loss or delay that may occur through the negligence of the forwarders.
- 7th. As we guarantee the freight on all shipments leaving our establishment, it will be necessary for unknown parties to remit the money with their orders. Orders to be sent by express C. O. D. must be accompanied by at least one-half the amount in cash; otherwise, they will receive no attention.
- 8th. Our customers are requested to notify us immediately of any errors that may be committed in filling their orders, so that we may at once rectify the same, as we desire to conduct our business in all respects satisfactorily to those who favor us with their confidence.
- 9th. Orders from unknown correspondents must be accompanied by the cash, or satisfactory reference.
- 10th. Remittances may be made by draft on San Francisco, Wells, Fargo & Company's and Post Office money orders on Niles, or cash by express, prepaid.
- 11th. Orders priced at single rates, and not exceeding four pounds in weight, can be forwarded by mail, postage paid; but where possible we recommend having them sent by express, as we are then able to send much stronger and better plants.

All communications to be addressed to

CALIFORNIA NURSERY COMPANY,

Niles, Alameda County, Cal.

REMARKS.

TAKE PLEASURE in again submitting to the consideration of our friends and the public generally our Price List for the coming season, feeling certain of our ability to please all kindly favoring us with their orders.

OUR STOCK has made a good growth, and is absolutely free from all injurious insects, diseases, and defects.

The assortment in both the fruit and ornamental departments of our establishment having become so extensive, we have found it necessary to divide our Descriptive Catalogue into two parts, (in separate publications,) the first to include Fruit Trees, Small Fruits, Grapes, etc., and the second, Ornamental Nursery Stock only. They will be designated as Nos. 1 and 2, respectively, in our list of Catalogues, and will be issued only from time to time, as circumstances may require. A price list, known as No. 3, (this one,) which merely gives prices and sizes on the contents of Nos. 1 and 2, will be published annually.

We shall include in either only such articles as we have actually growing on our grounds, (being the only firm on the coast that really grows, themselves, all they offer,) and have aimed to confine ourselves to cultivating only such varieties in both departments as, with proper care, will give entire satisfaction to our customers.

A cordial invitation is extended to all to visit our grounds, where the stock may be seen in different stages of cultivation.

Our Nursery can be reached from San Francisco by boats leaving Market Street Wharf, and connecting with trains for Niles, at 8:30 and 12:00 A. M., and 4:30 and 6:00 P. M. From Sacramento and all points north and south, by train leaving Sacramento at 10:40 A. M. From San Jose and its southern connections, by trains leaving there at 5:45, 6:35, 9:20, A. M., and 1:15, 5:00, and 5:35 P. M.

Yours very truly,

CALIFORNIA NURSERY COMPANY,

| JOHN ROCKPresident. | R. D. FoxVice-President. |
|-----------------------|---|
| J. H. HENN Secretary. | BANK OF BRITISH COLUMBIA, S. F., Treasurer. |

DIRECTORS.

| Јони | Ro | CK, |
|------|----|-------|
| JOHN | H. | HENN, |

R. D. Fox, H. M. Sanborn, E. E. Uslar, THOMAS MEHERIN, WM. J. LANDERS.

SPECIAL NOTICE.

Those only who can show a certificate of recent date, with our signature and the seal of the Company attached, are authorized to solicit orders for us. We wish to call special attention to this notice, as we know it has heretofore been the practice of unprincipled persons to procure the catalogues of prominent nurseries, and take orders in their names, which they fill with poor stock bought elsewhere. If our patrons will notify us of any person whom they have reason to believe is not a regularly appointed agent, we shall consider it a favor.

HINTS ON TRANSPLANTING.

The many excellent treatises on Fruit Culture which have appeared within the past few years—one or more of which should be in the hands of every person intending to plant—render it almost unnecessary to give any directions in that line; yet we are so frequently asked for advice in this way, that we have

concluded to offer a few general remarks.

The situation of the orchard having been decided on, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots, when spread out in their natural position. In planting, the top soil should be broken down into the hole, and worked carefully in between every root and fibre, filling up every crevice, that every root may be in contact with soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may in light soils stand from two to three inches deeper than it stood in the nursery; but in heavy clay or wet ground it is advisable to have it stand at the same height as it was before transplanting.

On account of our long, hot, dry summers, we have found it beneficial to shade the sunny side of the tree with a board or shake stuck in the ground a few inches away from it, for the first two or three years. The tops should be shortened in more or less, in proportion to size and variety of tree, and condition of

roots.

A work, "California Fruits and How to Grow Them," by Prof. E. J. Wickson; the "Raisin Industry," by Prof. Gustav Eisen; and "Grape Culture and Wine-making," by Geo. Husmann, will be found very useful to all horticulturists, written as they are for this Coast, and by authors of wide local experience.

DISTANCES FOR PLANTING.

| Standard Apples | .25 to 30 | feet | apart | each | way |
|---------------------------------|------------|------|--------|--------|------|
| Standard Pears | .20 to 25 | " | -66 | 61 | 4.6 |
| Strong-growing Cherries | .20 to 25 | | 14 | 41 | " |
| Duke and Morello Cherries | . 18 to 20 | | | " | |
| Standard Plums and Prunes | . 18 to 20 | 11 | 6.6 | 11 | 11 |
| Peaches and Nectarines | . 18 to 20 | | 1.0 | 1.1 | |
| Apricots | 25 to 30 | | 6.6 | 4.6 | 11 |
| Grapes | . 7 to 10 |) " | 4.6 | | " |
| Currants and Gooseberries | | | | 4 | by 6 |
| Raspberries and Blackberries | | | | | |
| Strawberries for field culture | | | | | |
| Strawberries for garden culture | | | I to 2 | feet a | part |

Number of Trees or Plants on an Acre at Given Distances Apart.

| | | | | | | | | Square Method. | Equilateral Triangle Method. |
|-----------|--------|-------|------|-----|----------|------|----|----------------|---------------------------------|
| Distance, | I foot | apart | each | way | , number | plan | ts | 43,560 | 50,300 |
| 11 | 2 feet | " | 6.6 | " | | | | 10,890 | 12,575 |
| ((| 3 " | 6.6 | | " | 4.6 | " | | 4,840 | 5,889 |
| | 4 " | " | " | " | | 6.6 | | 2,722 | 3,130 |
| 11 | 5 '' | " | 6.6 | 66 | | " | | 1,742 | 2,011 |
| | 6 " | - 66 | | | | 6.6 | | 1,210 | 1,397 |
| | 7 " | | | " | | 6.6 | | 807 | 928 |
| 4.6 | 8 " | " | 6.6 | | | 4.6 | | 680 | 785 |
| 4.6 | 9 " | " | | " | | | | 537 | 620 |
| 4.6 | 10 " | 66 | " | " | " | | | 435 | 502 |
| 14 | 12 " | | " | " | 66 | | | 302 | 348 |
| 16 | 14 " | " | ". | 6.6 | | | | 222 | 256 |
| | 15 " | 6.6 | 6.6 | " | 6.6 | 6 6 | | 193 | 222 |
| 44 | 16 '' | 6.6 | " | " | 4.6 | 6.6 | | 170 | 195 |
| 14 | 18 '' | 6.6 | " | 66 | | | | 134 | 154 |
| | 20 '' | 6.6 | 6.6 | 6.6 | | 6.6 | | 109 | 125 |
| 4.6 | 22 '' | " | 4.6 | 11 | | 6.6 | | 90 | 104 |
| | 24 " | 4.6 | | 4.6 | - 11 | 66 | | 75 | 86 |
| 6.6 | 25 " | | | 11 | 6.6 | | | 69 | 79 |
| 11 | 30 " | 4.6 | " | " | 11 | " | | 48 | 55 |
| | 35 " | " | | " | ** | | | 35 | 40 |
| | 40 " | | | 66 | 66 | " | | 27 | 31 |

RULE—SQUARE METHOD.—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

vided into the number of feet in an acre (43,560), will give the number of plants or trees to the acre.

RULE—EQUILATERAL TRIANGLE METHOD.—Divide the number required to the acre "square method" by the decimal .866. The result will be the number of plants required to the acre by this method.

PRICE LIST

——ОF——

CALIFORNIA NURSERY CO.

SEASON 1893-94.

Prices quoted herein are for quantities and sizes specified; for extra sizes, varieties or quantities other than mentioned, special prices will be made. Estimates cheerfully furnished on all lists. Write us.

For Index, see last page of Catalogue.

FRUIT DEPARTMENT.

| | The second | Each. | Per 10. | Per 100. | Per 1000. |
|--------------------|------------------------|-------|---------|-----------|-----------|
| Apple—1 year | 4 to 6 ft. | 25 | 2 00 | | 100 00 |
| " 1 year | 3 to 4 ft. | 20 | 1 50 | 10 00 | 80 00 |
| Su | mmer. | | | | |
| Amassia, | Keswick Codlin, | | | | |
| A. S. Pearmain, | Maiden's Blush, | | | | M. i |
| Benoni, | Red Astrachan, | | | | |
| Chenango Straw- | Red June, | | | | |
| berry, | Salome, | | | | |
| Duchess of Olden- | Sweet June, | | | | |
| burg, | Sweet Bough, | | | The sales | |
| Early Harvest, | Summer Queen, | | | | |
| Early Ripe, | Sops of Wine, | | | | |
| Early Strawberry, | William's Favorite, | | | - 1147 | |
| Gravenstein, | White Astrachan. | | | | |
| Au | utumn. | | | | |
| Alexander, | Jonathan, | | | | |
| Arabskoe, | King of Tompkins | | | | |
| Autumn Strawberry | | | | | |
| Beauty of Kent, | Mother, | | | 4 11 14 | |
| Colvert, | Porter, | | | | |
| Fall Pippin, | Rambo, | | | | |
| Fameuse, | Reinette de Caux, | | | | |
| Gloria Mundi, | Red Bietigheimer, | | | | |
| Golden Pippin, | Rhode Island Greening, | | | | |
| Golden Russett, | Roxbury Russett, | | | | |
| Holland Pippin, | Skinner's Pippin, | | | | |
| Hoover, | Trenton Early, | | | - 1 | |
| Hubbardston's Non- | I wenty Ounce. | | | - | |
| such, | | | | | |

| | Each. | Per 10. | Per 100. | Per 1000. |
|---|------------------|---------|----------|-----------|
| Apple 117: 1 | | | | |
| Apple. Winter. | | | | |
| Arkansas Black, Perry Russett, | | | | |
| Bailey Sweet, Pewaukee, | 77 7 1 7 1 7 1 | | | |
| Baldwin, Pryor's Red, | | | | |
| Belle de Booskoop, Rawle's Janet, | | | | |
| Ben Davis (New Red Canada, | A REAL PROPERTY. | | | |
| York Pippin), Red Cheek Pipp | in, | | | |
| Buckingham, Ribston Pippin, | | | | 1. |
| Canada Reinette, Rome Beauty. | Hall All All | | | |
| Cooper's Market, Smith's Cider, | | | | |
| Dominie, Sonoma, | | | | |
| | | 100 | | |
| Duke of Devonshire, Stark, | | - | | |
| English Golden Rus- Stump, | 125 | 3 | | |
| sett, Swaar, | 10 | | | |
| Esopus Spitzenburg, Tolman's Sweeti | | | | |
| Grimes' Golden Pip- Vandevere (Nev | vtown | 3 | | |
| pin, Spitzenburg), | | | | |
| Haas, Virginia Greening | ng, | | | |
| Ladies' Sweeting, Wagener, | O. | | | |
| Lady Apple, Walbridge. | 07 | | | |
| Lawver, Wealthy, | | | | |
| Limber Twig, White Winter P | ear- | | | |
| | car- | | | |
| McMahon's White, main, | | | | |
| Mann, Winesap, | | | | |
| Missouri Pippin, Wolf River, | | | | |
| Nickajack, Yellow Bellflowe | | | | |
| Northern Spy, Yellow Newtow | n Pip- | | | 1 |
| Ortley (White Bell- pin, | THE RESIDENCE | | | |
| flower), York Imperial. | | | | |
| Peck's Pleasant, | | | | |
| Crab Apple—1 year4 | to 6 ft. 25 | 2 00 | 12 50 | 100 00 |
| " 1 year 3 | | | | 80 00 |
| General Grant Transcendent | | | | |
| General Grant, Transcendent, Hyslop, Van Wyck, | | | | |
| Maranga Whitney | | | | |
| Marengo, Whitney, | (Cald | | | - |
| Montreal Beauty, Yellow Siberian | (0010- | | | |
| Paul's Imperial, en Beauty). | | | | |
| Red Siberian, | | 0.50 | 20 00 | |
| Pear—On Pear, 2 years4 | | 2 50 | | |
| " " 1 year 4 | | 2 00 | | |
| " " " 1 year3 | to 4 ft. 20 | 1 50 | 12 00 | 100 00 |
| Summer. | 1000000 | | | + 1.34 |
| Andre Desportes, Bloodgood, | | | | |
| | | | | |
| Bartlett, Clapp's Favorite | ling | | | |
| Beurre d'Amanlis, Dearborn's Seed Beurre Giffard, Doyenne d'Ete, | ing, | | | |
| Beurre Ginard, Doyenne d'Ete, | 1 | | | - |

| · | | Each. | Per | 10. | Per | 00. | Per 1000. |
|---------------------|--|----------------|-----|--------------|-----|-----|------------|
| Pear. | | | | | | | |
| | Souv. du Congress, | | | | | | |
| Leconte, | Tyson. | | | | | | i |
| Madeline, | | | | 1 | | | |
| | tumn. | | | 1 | | | |
| Belle Lucrative, | Gray Doyenne, | | | ; | | | • |
| | Gansell's Bergamotte, | | | 1 1 | | | . * |
| cester, | Howell, | | | - 3 | | | |
| Beurre Bosc, | Idaho, | | | | | | |
| | | | | | | | |
| Beurre Clairgeau, | Kieffer's Hybrid, | | | | | | |
| Beurre d'Anjou, | Lawrence, | | | 1 | | | , |
| Beurre Diel, | Louise Bonne de Jer- | | | | | | |
| Beurre Hardy, | sey. | | | ļ | | | |
| Beurre Superfin, | Mt. Vernon, | | | ļ | | | |
| B. S. Fox, | Onondaga (Swan's | | | | | | |
| Brockworth Park, | Orange), | | | | | | · |
| Columbia, | Paradise d'Automne, | | | | | | |
| Dana's Hovey, | Seckel, | and the second | | | | | |
| Dix, | Sheldon, | | | | | | • |
| Doyenne Boussock, | | 1 | | | | : | |
| Doyenne du Comice, | , Van Mon's Leon le | | | | | | |
| Duchesse d'Angou- | Clerc, | | | | | | |
| leme, | White Doyenne. | | | | | | . ; |
| Flemish Beauty, | • | | | | | | |
| | inter. | | | | | | |
| Beurre Gris d'Hiver | Jaminette, | | | | | | |
| Col. Wilder, | Jean de Witte, | | | | | | |
| | Josephine de Malines, | | | | | | |
| Doyenne d'Alencon, | | | | | | | |
| | P. Barry, | | | | | | |
| Emile d'Heyst, | | | | | | | |
| | Vicar of Winkfield, | | | | | | |
| | Winter Nelis, | | | and the same | | | |
| | | | | | | | : • |
| Glout Morceau, | Zoe. | 25 | ົດ | 00 | 10 | 00 | 150 00 |
| | rears 3 to 5 ft. | 25 | Z | 00 | 19 | 00 | 150, 00 |
| Bartlett, | Easter Beurre, | | | | | | |
| Beurre Hardy, | Idaho, | | | | | | • |
| Col. Wilder, | P. Barry, | | | | | | |
| Duchess d'Angou- | Pound, | | | | | | |
| leme, | Winter Nelis. | | | | | | |
| | $\frac{2}{1}$ years $\frac{1}{1}$ to 5 ft. | 25 | | 00 | | | $120 \ 00$ |
| 66 66 | 1 year 4 to 6 ft. | 25 | 2 | 00 | | | 120 00 |
| | 1 year \dots 3 to 4 ft. | 20 | 1 | 50 | 12 | 50 | 100 00 |
| Baumann's May, | Black Eagle, | | | | | | |
| Belle d'Orleans, | Black Tartarian, | | | | | | |
| Belle Magnifique, | Burr's Seedling, | | | | | | |

| | | Each. | Per 10. | Per 100. | Per 1000. |
|----------------------|---------------------------------------|-------|---------|----------|-----------|
| Cherry. | | | | | |
| Centennial, | Knight's Early Black, | | | | 1 |
| Cleveland Bigar- | Lincoln, | | | | |
| reau, | Lewelling (Black Re- | i | | | |
| Coe's Transparent, | publican), | | | | |
| Duchesse de Palluau, | | 1 | | | |
| Early Lamaurie, | Napoleon Bigarreau, | | | | |
| Early Richmond, | Olivet, | 3 | | | |
| Early Purple | Pontiac, | } | | | |
| Guigne, | Reine Hortense, | | | | |
| Early Rivers, | Rockport Bigarreau, | | | | |
| Elton, | Schmidt's Bigarreau, | | | | |
| Empress Eugenie, | Tradescant's Black- | | | | |
| English Morello, | heart, | | 1 | | |
| Governor Wood, | Werder's Early Black, | | | | |
| Great Bigarreau | Willamette, | | | | |
| (Monstreusse de | | | | | |
| Mezel), | Yellow Spanish. | | | | |
| Guigne Marbre, | · · · · · · · · · · · · · · · · · · · | | | | |
| | , 2 years 4 to 6 ft. | 35 | 2 50 | 20 00 | |
| | 1 year 4 to 6 ft. | 25 | | | 120 00 |
| " | 1 year 3 to 4 ft. | 20 | 1 50 | | 100 00 |
| Belle de Septembre, | | | | | |
| Blood Plum of Satsu- | | | | | |
| ma, | McLaughlin, | | | | |
| Botan, | Marianna, | | | | |
| Bradshaw, | Oullin's Golden, | | | | |
| Burbank, | Peach Plum, | | | | |
| Chabot Blood, | Perdrignon Blanc, | | | | |
| Cherry Plum, | Prince Englebert, | | | | |
| Clyman, | Prince of Wales, | | | | |
| Coe's Golden Drop, | Quackenboss, | | | | |
| Coe's Late Red, | Red Egg, | | | | |
| Columbia, | River's Early Prolific, | | | | ; |
| Czar, | Royal Hative, | | | | |
| Damas Noir, | Simon (Prunus Simonii), | | | | |
| Damson, | Shropshire Damson, | | | | |
| Duane's Purple, | Smith's Orleans, | 1 | | | |
| General Hand, | Victoria, | | | | |
| Green Gage, | Washington, | | | | |
| Imperial Gage, | Weaver, | | | | : |
| Jefferson, | Wild Goose. | , | | | ł |
| | ear 4 to 6 ft. | 25 | 2 00 | 15 00 | 125 00 |
| | ear 3 to 4 ft. | 20 | | | 100 00 |
| Burbank, | Simon. | | | | |
| , | | | | 1 | |

| | Each. | Per 10. | Per 100. | Per 1000. |
|--|-------|--|----------|-----------|
| Prune—On Myrobolan, 2 years4 to 6 ft. | 35 | 2 50 | 20 00 | |
| " 1 year 4 to 6 ft. | 25 | 2 00 | 15 00 | 120 00 |
| " " " 1 year 3 to 4 ft. | 20 | 1 50 | | 100 00 |
| Brignole, Hungarian, | | | | |
| Bulgarian, Silver, | | | 1 | |
| Datte d'Hungrie, StCatherine, | | | | |
| Fellenberg, St. Martin's, | | i | | |
| German, Tragedy, | | | | |
| Golden, Wangenheim. | | | | |
| Prune-On Myrobolan, 2 years 4 to 6 ft. | 25 | 2 00 | 10 00 | 80 00 |
| " " 1 year 4 to 6 ft. | 20 | 1 50 | 10 00 | |
| " " " 1 year 3 to 4 ft. | 15 | 1 00 | 8 00 | |
| French and Robe de Sargent. | | | | |
| Prune—On Almond, French, 1 year 4 to 6 ft. | 25 | 1 50 | 8 00 | 60 00 |
| " " " 1 year3 to 4 ft. | 15 | 1 00 | 6 00 | |
| " Peach, " 1 year4 to 6 ft. | 25 | 1 50 | 8 00 | |
| " " " 1 year3 to 4 ft. | 15 | 1 00 | 6 00 | |
| Prune—On Peach, Silver and Tragedy, | | 1 00 | | |
| 1 year 4 to 6 ft. | 25 | 2 00 | 12 50 | 100 00 |
| Peach—On Peach, 1 year 4 to 6 ft. | 25 | | 12 50 | |
| " " 1 year 3 to 4 ft. | 20 | $\begin{bmatrix} 1 & 50 \\ 1 & 50 \end{bmatrix}$ | 10 00 | |
| Alexander, Morris White, | | 1 00 | 10 00. | 00 00 |
| Bilyeau's Late, Muir, | | | | |
| Blood Cling, Newhall, | | | | |
| Briggs' May, Nicholl's Orange Cling, | | ŀ | | |
| California Cling, Old Mixon Free, | | 1 | | |
| Coolidge's Favorite, Picquett's Late, | | | | |
| Early Crawford, Phillip's Cling, | | 1 | | |
| Elberta, Pride of Idaho, | | | | |
| Foster, Runyon's Orange | | | | |
| Geo. Late Cling, Cling, | | 1 | | |
| | | | 1 | |
| | | | | |
| | | | | |
| | | | | |
| TT A COLL | | | | |
| Henrietta Cling, Strawberry, | | | | |
| Late Crawford, Stump, | | | | |
| Lemon Cling, Tuscan Cling, | | | | |
| Lovell, Waterloo, Wilkons Cling | | | | |
| McDevitt's Cling, Wilkens Cling, | | | • | |
| Mary's Choice, Yellow St. John. | | | | |
| McKevitt's Cling, | 0. | 2 00 | 10 00 | 150.00 |
| Apricot—On Peach, 1 year 4 to 6 ft | 25 | | 16 00 1 | |
| 1 year 5 to 4 II. | 20 | 1 50 | 14 00 1 | 125 00 |
| Blenheim, Large Early Montga- | | | | |
| Breda, met, | | | | |
| Hemskirke, Moorpark, | | | | |

| | | Each. | Per 10. | Per 100. | Per 1000. |
|----------------------------|-----------------------------|-------|---------|---------------|-----------|
| Apricot. | | | | | , |
| Newcastle Early, | Royal. | | • | 1 | |
| Pringle, | | | | | |
| Apricot—On Myrobol | an, 1 year4 to 6 ft. | 30 | 2 50 | 18 00 | |
| 66 66 | 1 year 3 to 4 ft. | 25 | 2 00 | 15 00 | |
| Blenheim, | Moorpark, | | | | • |
| Hemskirke, | Royal. | | | | |
| | 1 year 3 to 5 ft. | 25 | 2 00 | 15 00 | |
| Blenheim, | Moorpark, | | | | |
| Hemskirke, | Peach. | | | | |
| Nectarine —On Peach | , 1 year \dots 4 to 6 ft. | | | 15 00 | |
| | 1 year3 to 4 ft. | 20 | 1 50 | 12 50 | 100 00 |
| Advance, | Humboldt, | | | | |
| | Lord Napier, | | | | |
| Downton, | | | | | |
| Early Newington, | New White. | | | | |
| Hardwick, | | | | | 1 |
| Quince— | 4 to 6 ft. | 35 | | 18 00 | |
| | 3 to 4 ft. | 25 | 2 00 | 15 00 | |
| Apple (or Orange), | Portugal, | | | | |
| Champion, | Rea's Mammoth. | | | | |
| Meech's Prolific, | | | | | 1 |
| | 3 to 5 ft. | | | | |
| | 4 to 6 ft. | 50 | | | |
| | 3 to 4 ft. | 40 | | 1 | |
| " | 2 to 3 ft. | 25 | 2 00 | 1 5 00 | |
| Agen, Angelique, | Ford's Seedling, | | | | |
| Angelique, | Gros Gris Biferre, | | | | |
| Black Marseilles, | Grossale, | | | | |
| Bondance Precoce, | Hirta du Japan, | | | | |
| Bourjasotte Blanche, | | | | | |
| " Gris, | Monaco Bianco, | | | | |
| "Noir, | Negro Largo, | | | | |
| Brown Ischia, | Pastiliere, | | | | |
| Bulletin Smyrna, | Rocardi, | | | | |
| California Black, | | ſ | | | |
| Col. di Signora Bi- | Ronde Violet Hative, | | | | |
| anca, | Royal Vineyard, | | | | |
| Col. di Signora Nero | | | | | |
| Dalmatian, | White Genoa, | | | | |
| De Constantine, | White Ischia, | | | | |
| Doree Norbus, | White Marseilles, | | | | |
| Drop d'Or, | Yellow Celestial. | | | | |
| Du Roi, | 4 2 2 | - | 4 000 | | |
| | 4 to 6 ft. | | | | |
| 66 , 66 , 66 | $1 	o 4 	ext{ ft.}$ | 25 | 2 00 | 12 00 | } |

| | <u> </u> | | | 1 |
|---|--|--|--------------|-----------|
| | Each. | Per 10. | Per 100. | Per 1000. |
| Fig—White Adriatic | 20 | 1 50 | 10 00 | |
| " Capri, or Wild 3 to 4 ft. | 50 | 2 22 | 10 #0 | |
| Almond—On Almond, 1 year 4 to 6 ft. | 25 | | | 100 00 |
| " " " 1 year 3 to 4 ft. Commercial, Marie Dupuys, | 20 | 1 50 | 10 00 | 80 00 |
| Drake's Seedling, Ne Plus Ultra, | | | | |
| Flat-Fruited or Hard Nonpareil, | | ! | | |
| Shell, Paper Shell, | } | | | |
| IXL, Pistache, | | | | |
| Languedoc, Sultana. La Prima, | | - | | |
| Almond—On Peach, 1 year4 to 6 ft. | 25 | 2 00 | 12.50 | 100 00 |
| " " 1 year 3 to 4 ft. | 20 | 1 50 | | 80 00 |
| Drake's Seedling, Ne Plus Ultra, | | | | |
| IXL, Nonpareil. Butternut— | | 5 00 | | |
| | 75 | 5 00 | | |
| " | $\begin{bmatrix} 50 \\ 40 \end{bmatrix}$ | $\begin{array}{ccc} 4 & 00 \\ 3 & 00 \end{array}$ | | |
| Chestnut—American Sweet 3 to 4 ft. | 50 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| " Italian or Spanish 8 to 10 ft. | J 1 | 7 50 | 60 00 | |
| " " … 6 to 8 ft. | 75 | 5 00 | 40 00 | |
| " "4 to 6 ft. | 50 | 4 00 | 35 00 | |
| " Japan Mammoth, Grafted.3 to 4 ft. | 35 75 | 3 00 5 00 | 25 00 | |
| " Maron de Lyon, Noir Ha- | | 0 00 | | |
| tire and Numbo, Grafted . 4 to 6 ft. | 75 | 5 00 | | |
| Early Maron, Maron Com- | | | | |
| bale, Maron de Lyon, Mar- | | | | |
| on Nouzillard, Noir Hative and Numbo, Grafted 3 to 4 ft. | 50 | 4 00 | | |
| "Maron Combale Maron de | 90 | 1 00 | | |
| Lyon, Noir Hative and | | | | |
| Numbo, Grafted 2 to 3 ft. | | 3 50 | | |
| Filberts—English Red Hazel4 to 6 ft. | 1 00 | | | |
| " " " " 3 to 4 ft. " Named Sorts 3 to 4 ft. | | | | |
| Cosford Nut, Macrocarpa, | 1 00 | 1 00 | | |
| Cut-leaved, Mer. de Bollivillar, | | | | |
| Dwarf Prolific, Nottingham Prolific, | | | | |
| Fertile de Contard, Precoce de Frauendorf, | | | | |
| Grant de Halle, Prolific Cob, Imp. de Trebezand, Purple-leaved. | | | | |
| Pecan— 5 to 6 ft. | 50 | 4 00 | | |
| " 4 to 5 ft. | 40 | 3 00 | | |
| Pistachio Nut—(Pistachio Vera) 4 to 6 ft. | 1 00 | 7 50 | | |

| | | Each. | Per 10. | Per 100. Per 1000. |
|------------|-------------------------------------|-------|---------|--------------------|
| Walnut- | -American Black, Trans 12 to 14 ft. | 1 00 | 7 50 | |
| 6.6 | " " "10 to 12 ft. | 75 | 5 00 | |
| . 6 | " " 8 to 10 ft, | 50 | 4 00 | 35 00 |
| 66 | " " 6 to 8 ft. | 40 | 3 00 | 25 00 |
| 6.6 | " " 4 to 6 ft. | 35 | | |
| 6.6 | " " 3 to 4 ft. | 25 | | 15 00 |
| 6. | California "10 to 12 ft. | 75 | 5 00 | |
| 6. | " " 8 to 10 ft. | 50 | 4 00 | 30 00 |
| 6 0 | " " 6 to 8 ft. | 35 | 2 50 | 20 00 |
| 6+ | English 6 to 8 ft. | 50 | 4 00 | |
| 6. | " 4 to 6 ft. | 35 | 2 50 | 20 00 |
| 66 | " 3 to 4 ft. | 25 | 2 00 | 18 00 150 00 |
| 6. | A. Bijou, Grafted 3 to 4 ft. | 1 00 | 7 50 | |
| 6. | Chaberte, Grafted on | | | |
| | English 8 to 10 ft. | 1 00 | 7 50 | |
| 4 6 | Chaberte, Grafted on | | | |
| | English 6 to 8 ft. | 75 | 6 00 | |
| ٤. | Parisienne and Vourey, | | | |
| | Grafted on English 4 to 6 ft. | 75 | 5 00 | |
| 6 6 | Chaberte, Cut-leaved, | | | |
| | Franquette, Mayette, | | | |
| | Parisienne and Vourey, | | | |
| | Grafted on English 3 to 4 ft. | 50 | 4 00 | |
| 66 | Chaberte, Franquette, | | | |
| | Parisienne and Vourey, | | ŀ | |
| | Grafted on Black Cali- | | ' | |
| | fornia 4 to 6 ft. | 1 50 | 10 00 | 75 00 |
| 6 6 | Chaberte, Cut-leaved, | | , | |
| | Franquette, Parisienne, | | | |
| | and Vourey, Grafted | | = == | |
| | on Black California 3 to 4 ft. | 1 00 | 7 50 | |
| 4. | Chaberte, Franquette, | | | |
| | Parisienne and Vourey, | | | |
| | Grafted on Black Cali- | P 7 | 0 00 | |
| , | fornia 2 to 3 ft. | 75 | 6 00 | |
| 66 | Præparturien Trans8 to 10 ft. | | 7 50 | |
| 6. | "6 to 8 ft. | 75 | 6 00 | 40.00 |
| 66 | 10 011. | 60 | 5 00 | 40 00 |
| 6. | 0 10 4 11. | 50 | 4 00 | 35 00 |
| • • | Serotina, or St. John | 1 00 | 7 50 | |
| 46 | Trans | 1 00 | 7 50 | |
| | Serotina, or St. John | 75 | 6 00 | |
| 66 | Trans 4 to 6 ft. | 75 | 6 00 | |
| | Santa Barbara Soft Shell, | 50 | 4 00 | 30 00 |
| | Trans 6 to 8 ft. | 50 | 4 00 | 30 001 |

| | Each. | Per 10. | Per 100. | Per 1000. |
|---|--|---|--------------|----------------|
| Walnut-Santa Barbara Soft Shell, | | | | |
| Trans4 to 6 ft. | 40 | 3 50 | 25 00 | 180 00 |
| " Santa Barbara Soft Shell, | | 2 00 | 4.5.00 | 122 |
| Trans3 to 4 ft. | 25 | 2 00 | 15 00 | 1 30 00 |
| Orange and Lemon—Grafted, Balled, 5 to 6 ft. | 2 50 | 20 00 | | |
| " " 4 to 5 ft. | 2 00 | 15 00 | 125 00 | |
| " " " " 3 to 4 ft. | | | 100 00 | |
| " " " " 2 to 3 ft. | | · · | 75 00 | |
| ORANGE-Washington Navel, Jaffa, | | | | |
| Hart's Tardiff, Homossassa, | | | | |
| Joppa, Konah, Maltese Blood, | | | | |
| Med. Sweet, Mandarin, Par- | | | | |
| son Brown, St. Michael, Va- | | | | |
| lencia Late. | | | | |
| Lemon — Eureka, Genoa, Lisbon, Sweet Rind, Villa Franca. | | | | |
| Limes—4-inch pots, 9 to 12 inches. | 50 | 4 00 | | |
| Persimmon—Japanese, Grafted, | | 1 00 | | |
| grown here two years 4 to 6 ft. | 50 | 4 00 | 30 00 | |
| " Japanese, Grafted, | | | | |
| grown here two years 3 to 4 ft. | 40 | 3 00 | 25 00 | |
| " Japanese, Imported, 1 | 0.5 | 2 50 | 20.00 | |
| year | 35 | 2 50 | 20 00 | |
| " American 4 to 6 ft. | $\begin{bmatrix} 50 \\ 40 \end{bmatrix}$ | $\frac{4}{3} \frac{00}{00}$ | | |
| Pomegranate—Sweet Fruited and | 4.0 | 9 00 | | |
| Sub-acid3 to 4 ft. | 50 | 3 50 | | |
| " Sweet Fruited and | | | | |
| Sub-acid2 to 3 ft. | 35 | 2 50 | | |
| " Sweet Fruited and | | | | |
| Sub-acid1 to 2 ft. | 25 | 2 00 | | |
| Hermosina, raper | | | | |
| Shell and Spanish Ruby2 to 3 ft. | 50 | 4 00 | | |
| "Spanish Ruby 3 to 4 ft. | 75 | 1 00 | | |
| Guava—Pot grown $1\frac{1}{2}$ to 2 ft. | 50 | 4 00 | | |
| Carob—Pot grown 1 to $1\frac{1}{2}$ ft. | 1 00 | 7 50 | | |
| Hovenia—Dulcis 3 to 4 ft. | 75 | 5 00 | | |
| Loquat—Large fruited, Grafted 3 to 4 ft. |) | 7 50 | | |
| " " 2 to 3 ft. | 75 | 5 00 | | |
| " From Seed 5 to 6 ft. " " 4 to 5 ft. | 75 50 | $\begin{array}{ccc} 5 & 00 \\ 4 & 00 \end{array}$ | | |
| " " pot grown 3 to 4 ft. | 50 | 4 00 | | |
| " " " " 11. 2 to 3 ft. | 40 | 3 00 | | |
| Medlar-Nottingham 4 to 5 ft. | 1 | 4 00 | | |
| | | | | |

| | 1 1 | | | |
|--|-------|-----------------------------|----------|----------------------|
| | Each. | Per 10. | Per 100. | Per 1000. |
| Mulberry—Downing's Everbearing 6 to 8 ft. | 50 | 4 00 | 30 00 | |
| " 4 to 6 ft. | 40 | 3 00 | 25 00 | |
| " Lick's American 6 to 8 ft. | 50 | 4 00 | | |
| New American10 to 12 ft. | 75 | 5 00 | 00.00 | |
| " " 8 to 10 ft. | 50 | | | |
| 0 10 0 11. | 40 | 3 00 | | |
| | 30 | $\frac{2}{4} \frac{50}{00}$ | | 1 / |
| " Russian 6 to 8 ft 4 to 6 ft. | | | | 1 |
| " Persian 4 to 6 ft. | | | | |
| " " 3 to 4 ft. | 1 | 3 00 | 1 | |
| Olive—All Olive trees offered have been twice | | 9 00 | | |
| transplanted, are stocky and well fur- | | | | |
| nished with roots. The grafted trees | | | | |
| are worked on Wild and Picholine | | | | |
| Stocks 3 years old or more. We dig | 1 | | | |
| all Olives with bare roots, and cut | | | | |
| back all side limbs to one inch of | | | | |
| main stem, so there is little of the | | | | |
| foliage left, and consequently less | | | | |
| evaporation in transplanting. After | | | | |
| planting, tops should be cut down | | | | |
| from one-fourth to one-third of their | | | | |
| height, and the roots should never be | | | | |
| allowed to become dry. | 1 00 | | | |
| Olive—Mission. 8 to 10 ft. $1\frac{1}{2}$ to 2 in. diam. | | | | 100 00 |
| "6 to 8 ft. 1 to $1\frac{1}{2}$ in. " | 75 | | | $\frac{400}{250}$ 00 |
| "4 to 6 ft. \(\frac{3}{4}\) to 1 in. " | 60 | | | 350 00 |
| "3 to 4 ft. $\frac{1}{2}$ to $\frac{3}{4}$ in. " " Picholino 8 to 10 ft. $\frac{1}{4}$ to 2 in. " | 50 | | | 2 50 00 |
| 1 10 10 10 10 10 12 to 2 in. | 75 | | | |
| 0 to 0 lt. 1 to 12 lll. | 60 50 | | | 1 |
| " $4 \text{ to } 6 \text{ ft.}$ $\frac{3}{4} \text{ to } 1 \text{ in.}$ " Grafted8 to 10 ft. $1\frac{3}{4}$ to 3 in. " | 1 50 | | 100 00 | 1 |
| " 6 to 8 ft. $1\frac{1}{4}$ to $1\frac{3}{4}$ in. " | 1 00 | | 1 | |
| " "4 to 6 ft. 1 to 1\frac{1}{4} in. " | 75 | | | 400 00 |
| " 3 to 4 ft. $\frac{3}{4}$ to 1 in. " | 60 | | | 300 00 |
| " " $2 \text{ to } 3 \text{ ft. } \frac{1}{2} \text{ to } \frac{3}{4} \text{ in. }$ " | 50 | | | 1 |
| Amellan, Manzanillo, | | 1 00 | | |
| Atro-Rubens, Nevadillo Blanco, | | | | |
| Atro-Violacea, Nigerina, | | | | |
| Beca Rufa, Nigricans, | | | | |
| Columella, Oblonga, | | | | |
| Lechin (Huff's Polymorpha, | | | | |
| Spanish), Praecox, | | | | |
| Luques, Pendulina, | | < | | |
| Macrocarpa, Regalis, | | | | |

| | | Each. | Per 10. | Per 100. | Per 1000. |
|---------------------------------------|---|-------|---------|----------|-----------|
| Olive. | | | | | |
| Rubra, | Uvaria, | | | | |
| | Verdale. | | | | |
| | .4 to 6 ft. 1 to 1\frac{1}{4} in. diam. | 1 00 | 7 50 | | |
| " " " | .3 to 4 ft. \(\frac{3}{4}\) to 1 in. diam. | 75 | 6 00 | | |
| Attica, | Radiola, | 10 | 0 00 | | |
| Columbaro, | Rapuina, | | | | |
| | Razzo, | | | | |
| Pendoulier, | Taggiasco | | | | |
| Olive—New Grufted | 7.3 to 4 ft. \(\frac{3}{4}\) to 1 in. diam. | 1 00 | 7 50 | | |
| " " " " " " " " " " " " " " " " " " " | . 2 to 3 ft. ½ to ¾ in. diam. | 75 | 7 50 | | |
| Conditiva, | Frontojo, | 19 | 6 00 | | |
| Cucco, | Marajolo. | | | ! | |
| Da Salare, | Marajolo. | | | | |
| | Cuttings | | | | |
| Olive—Grown from | | 50 | 4 00 | 20.00 | 050 00 |
| Lookin (Huff? | 3 to 4 ft. $\frac{3}{8}$ to $\frac{1}{2}$ in. diam. | 50 | 4 00 | 30 00 | 250 00 |
| Lechin (Huff 's | Manzanino, | | | | |
| Spanish), | Nevadillo Blanco. | | | | |
| Wlama Tolera | Manage CAl 1: | 10 | 50 | 2 00 | 12 00 |
| Managaralla Canala | Muscat of Alexandria, | | | | |
| | White Sweetwater. | | | | |
| Blanco, | | | | | |
| Grapes—roreign | TT | 10 | 50 | 3 00 | 15 00 |
| | Huasco, | | | | |
| Black Ferrara, | Largo Bloom, | | | | |
| " Hamburg, | | | | : | |
| marvoise, | Mataro, | | | | |
| Morocco, | Muscat Hamburg, | - 1 | | | |
| Cabernet Sauvignon | | | | | |
| California, (or Mis- | | | | | |
| sion,) | 1 | | | | |
| Carignan, | Raisinotte, | | | | |
| Chasselas Rose, Cornichon, | Rose of Peru, | | | | |
| Cornichon, | Sabalskanski, | | | 1 | |
| Emperor, | Sauvignon, | | | 1 | |
| Folle Blanche, | Sultana, | | | ! | |
| Franken Reisling, | Verdel, | | | | |
| Golden Chasselas, | Zante, | | | | |
| Grenache, | Zinfandel. | | | | |
| Grapes—Foreign | F. 1. Cut | 15 | 1 00 | | |
| Darbarossa, | Early Silver Fron- | | | | |
| Black Tokay, | tignon, | | | | |
| Bowood Muscat, | Early Smyrna Fron- | | | | |
| Buckland's Sweet- | tignon, | | | | |
| water, | General de la Mar- | | | | |
| Canon Hall Muscat, | mora, | | | | |
| | | | · · | | |

| | | Each. | Per 10. | Per 100. | Per 1 00. |
|--------------------------------|-------------------------------------|-------|---------|----------|-----------|
| | | Each. | | | |
| Grapes. | | | | | |
| Golden Champion, | Primivis Frontignon, | | | | |
| Golden Hamburg, | Royal Muscadine, | | | | |
| Golden Queen, | Ryton Muscat, | | | | |
| Gros Colmar, | Syrian, | | | | |
| Gros Maroc | Trentham Black, | | | | |
| Large Chili Rose, | White Lisbon, | | | | • |
| Lady Down's, | White Tokay. | 10 | 75 | 4 00 | |
| Grapes—Foreign | 3.6 | 10 | 10 | 4 00 | |
| Alicante Bouschet, | Mondeuse, | | | | |
| Berger, | Palomino, | | | | |
| Cabernet Franc, | Petit Bouschet, | | | | |
| Charbono, | Pfeffer's Black Bur- | | | | |
| Chasselas Violet, | gundy, | | | | |
| Cinsant, | Portal's Plousard, | | | | |
| Clairette Blanch, | Semillon, | | | | |
| Crabb's Black Bur- | St. Geo. Pinot, | | | | |
| gundy, | Tenturier, | | | | |
| Feher Zagos, | Trosseau, | | | | |
| Johannisberg Reis- | Verdelho, | | | | |
| ling, | Verdot. | | | , | |
| Macaboe, | amnaan's Saadless | 15 | 1 00 | 4 00 | 25 00 |
| Grapes—Foreign, 11 | nompson's Seedless | 10 | 1 00 | 3 00 | 1 |
| Grapes—Riparia, 100 | oted Cuttings, 1 yeardlings, 1 year | | 1 | 2 00 | |
| | | 15 | 1 00 | 1 | 1 |
| | Isabella, | 10 | | | |
| Catawba, | Lenoir. | | | | |
| Concord, | Lenon. | 20 | 1 50 | 10 00 | |
| Grapes—American | Iona, | | | | |
| Agawam, | Martha, | | | | |
| Barry, | Moore's Early, | | 1 | | |
| Delaware, | Niagara, | | | | |
| Diana, | Pocklington, | | | * | |
| Duchess, | Rebecca, | } | | | |
| Elvira, | Salem, | | | | |
| Goethe, Hartford Prolific, | Triumph, | | 1 | Y. | |
| Herbemont, | Vergennes. | | | , | |
| | , organical | 25 | 2 00 |) | |
| Grapes—American | Norton's Va., | | 1 | | |
| Amber, Bacchus, | Othello, | | | | |
| | Pearl, | | | | |
| Essex, | Prentiss, | | | | |
| Jefferson, Lady Washington, | Uhland, | | | | |
| | Worden, | | | | 1 |
| Massasoit, | Wyoming. | | | | |
| Noah, | | 1 | 1 | | |

| | | | | · |
|---|--|--|---|-----------|
| | Each. | Per 10. | Per 100. | Per 1000. |
| Grapes—American Empire State, Moore's Diamond. | 35 | 3 00 | | 14 |
| Grapes—American, "The Pierce" (New) | 50 | 4 00 | 30 00 | |
| A sport from Isabella, originating with Mr. | | | | |
| J. P. Pierce, of Santa Clara. The foliage | | | | |
| is remarkably large, and the vine an exceedingly strong grower and prolific bear- | | | | |
| er. The berries are of extraordinary | | ļ | 1 | |
| size, twice as large as those of its parent, | | | | |
| black with light bloom, and when ripe are exceedingly sweet, delicious, and slightly | | | | |
| aromatic, the pulp readily dissolving. Mr. | | | | |
| Pierce has had it in cultivation under every | | | - | |
| condition, and it has remained constant, | | | | . " |
| showing no indication of running back to the parent. The entire crop of two acres | | | | • |
| has been shipped to San Francisco by Mr. | | | | |
| Pierce for the past seven years under the | | | | |
| name of <i>Isabella Regia</i> , and always realizes the highest market price. We have ar- | | | , | |
| ranged with Mr. Pierce for the exclusive | | | | |
| right to propagate and distribute this val- | | | | |
| uable new grape. The past summer we | | | | |
| have shipped fruit of our own growing to both the Eastern and San Francisco mar- | | | | |
| kets, and it has fully maintained its posi- | | | | |
| tion. | | | | |
| Currants—2 years | 15 | 1 00 | - F | 50 00 |
| Baldwin's Black, La Versailles, | 10 | 75 | 5 00 | 40 00 |
| Black Grape, Lee's Prolific, | | | | |
| Black Naples, Ogden's Black, | | | | 4 |
| Cherry, Red Defiance, Fay's Prolific, Red Gondouin, | | 3 | | |
| Fertile de Palluau, White Dutch, | | | · | |
| Ismay's Prolific, White Grape. | | | | |
| Gooseberry—Berkeley, 2 years | 15 | 1 00 | 8 00 | |
| "Champion, 2 years | $\begin{vmatrix} 10 \\ 20 \end{vmatrix}$ | 75 1 50 | $\begin{vmatrix} 6 & 00 \\ 10 & 00 \end{vmatrix}$ | |
| " 1 year | 15 | 1 00 | 8 00 | |
| " Downing, 2 years | 25 | 2 00 | 15 00 | |
| " 1 year Houghton 2 years | $\begin{vmatrix} 20 \\ 15 \end{vmatrix}$ | $\begin{bmatrix} 1 & 50 \\ 1 & 00 \end{bmatrix}$ | 10 00 | |
| Houghton, 2 years | 10 | 75 | $\begin{bmatrix} 8 & 00 \\ 6 & 00 \end{bmatrix}$ | |
| " Smith's Improved, 2 years | 1 | 2 00 | 15 00 | , |
| | | | | |

| | | | Each. | Per 10 | | Per 10 | 0. | Per 10 | 00. |
|--|-----------|-----------------------|----------------|--------|-----|---------------|-----|--------|-----|
| Gooseberry- | -English. | Conquering Hero, | $\overline{2}$ | | | | | | |
| J. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | years | | 2 ! | 50 | 20 | 00 | | |
| 66 | 66 | Crown Bob, 2 years. | | | | 20 | i | | |
| 66 | 66 | Eskender Bey, 2 year | | | | 20 | 1 | | |
| \$6 | 66 | Invincible, 2 years | | | | 20 | | | |
| 66 | 46 | Prince Regent, 2 year | | | | 20 | - 1 | | |
| 66 | 66 | Robin Hood, 2 years | | | | 20 | | | |
| 66 | 66 | White Smith, 2 year | | 1 | | 20 | | | |
| .66 | 66 | Whinham's Industry | | | | | | | |
| | | 2 years | | 3 | 00 | 25 | 00 | | |
| <i>(</i> (6) | 66 | Assorted, Other Var | | | | | | | |
| | ě | eties, 2 years | 1 | 2 | 50 | 20 | 00 | | |
| Blackberry- | _ | | | 1 | 50 | | 00 | 15 | 00 |
| Crandall's H | | | 10 | | | _ | | | |
| Early Harve | est. | Wilson's Early. | | | | | | | |
| Kittatinny, | | | | ~ | | | | | |
| | | | 15 | 1 | 00 | 8 | 00 | | |
| Evergreen, | | Wilson Jr | 10 | | 00 | 0 | | | |
| Dallas, | | White Blackberry. | | | | | | | |
| | | | 15 | 1 | 00 | 8 | 00 | | |
| | | eties | | | 50 | | 00 | 15 | 00 |
| Cuthbert, | | Herstine, | 10 | ' | 00 | 4 | 00 | .LO | |
| | | Lost Rubies, | | | | | | | |
| Franconia, | | Marlboro. | | | | | | | |
| Hansel, | | | . 18 | 1 | 00 | Q | 00 | | |
| | | Hannot | 16 |) 1 | 00 | 3 | 00 | | |
| Fastollf, | | | | | | | | | |
| Hansel, | Valler V | Thompson's Early. | 1 | 5 1 | ۸۸ | G | ٥٥ | | |
| | | | . 10 |) • 1 | 00 | | 00 | | |
| | | Yellow Antwerp. | 4. | | 75 | 5 | ۸۸ | | |
| Raspberry— | -Diack Ca | Manageth Chapter | 10 | | 10 | 9 | UU | | |
| | | Mammoth Cluster, | | | | | | | |
| Doolittle, | | | | | | | | | |
| Gregg, | | Schaffer's Golossal, | | | | | | | |
| Hilbourne, | (T) 10 | Tyler. | | | ~ ^ | 4 | 0.0 | 0 | 0. |
| Strawberry- | —(Per 10, | $(000, \$40) \dots$ | | | 50 | 1 | 00 | 0 | 0(|
| Captain Ja | ck, | Parker Earle, | | | | | | | |
| | | Schuster's Gem, | | | | | | | |
| Longworth | | | | | | | | | |
| Lovett's Ea | rly, | William Parry, | | | | | | , | |
| _ | | Wilson's Albany. | | | | 1 | | - | |
| Minor's Pr | olific, | | | | - | | 0.0 | 1 | _ |
| Strawberry- | | | | | 75 | $\frac{2}{2}$ | 00 | 10 | 0 |
| Bubach's N | To. 5, | Jessie, | | | | | | ! | |
| Great Paci | fic, ~ | | | | | | | | |
| Iowa Beau | ty, | | | | | | | | |
| Chara amile a susuan | "The D | ollar" | | 1 | 00 | 1 4 | 0.0 | | |

| | Each. | Per 10. | Per 1 | 00. | Per I | 000 |
|---|-------|---------|-------|-----|-------|-----|
| Asparagus—Conover's Colossal (per 10,000, | | | | | | |
| \$40.00), 1 year | | 50 | 1 | 00 | 5 | 00 |
| " Palmetto (per 10,000, \$60.00), | - | | | | | |
| 1 year | | 75 | 2 | 00 | 8 | 00 |
| Rhubarb—Myatt's Linnæus | 25 | 2 00 | 10 | 00 | | |
| " Lorenzo | 25 | 2 00 | 10 | 00 | | |
| Sea Kale— | 50 | | | | | |
| Hop Roots | | 50 | 3 | 00 | | |
| " Male | 25 | 2 00 | | | | |
| Horse Radish— | 25 | 2 00 | | | | |
| Miscellaneous Herbs — Caper, Lavender, | | | | | | |
| Rue, Sage and Thyme | 25 | 2 00 | | | | |
| Opuntia Ficus-Indica (Indian Fig Cactus) | 50 | 4 00 | | | | |

Ornamental Department.

Deciduous Shade Trees.

| | | | Each. | Per 10. | Per 100. | Per 1000. |
|---|-------|---|-------|-----------------------------|----------|-----------|
| 1 | 1cac | ia—Julibrissin 8 to 10 ft. | 50 | 4 00 | | |
| 5 | 66 | " 6 to 8 ft. | 40 | 3 00 | | |
| Ł | lilan | thus—Glandulosa12 to 14 ft. | 75 | 6 00 | | |
| | 66 | " | 50 | 4 00 | | |
| | 66 | " 5 to 7 ft. | 35 | 2 50 | | |
| Ł | Alder | -Cordata (Heart-leaved) 6 to 8 ft. | 50 | 4 00 | | |
| | 46 | European 5 to 6 ft. | 50 | 4 00 | | |
| E | lmo | nd—Large Double-flowering. 5 to 6 ft. | 50 | 4 00 | | |
| | | -American White to 12 ft. | 50 | 4 00 | | |
| | 66 | " " 8 to 10 ft. | 40 | 3 00 | | <u> </u> |
| | 66 | European | 50 | 4 00 | | · |
| | 64 | Flowering (Ornus) $1\frac{1}{2}$ to 2 ft. | 35 | $\frac{1}{2} \frac{50}{50}$ | | |
| Ε | Beech | European | | 2 00 | | 1 |
| | 64 | " 4 to 5 ft. | 75 | | | 1 |
| | " | OV | 1 50 | | | 1 |
| | 66 | Purple-leaved 3 to 4 ft. | | | | |
| | 66 | " ' Lo 3 ft. | 1 00 | | | |
| T | liroh | —European White 10 to 12 ft. | 75 | 5 00 | | |
| - | ee ee | • | | | | |
| | 66 | , o a a O 10 10 1t. | 50 | $\frac{4}{3} \frac{00}{00}$ | | |
| | 66 | 0 10 0 11. | 40 | 3 00 | | |
| | 66 | Purple-leaved | | | | |
| | 66 | 0 10 0 11. | 75 | | | |
| | 66 | Upright 8 to 10 ft. | | | | |
| | | " 3 to 4 ft. | 50 | | | |

| | | Each. | Per 10. | Per 100. | Per 1000. |
|---------------------------------------|--------------------------|------------------|---|----------|-----------|
| Buckeye—Ohio | to 13 ft. | 50 | | | |
| Butternut— 6 | to 8 ft. | 75 | 5 00 | | |
| | to 6 ft. | 50 | 4 00 | | |
| | to 4 ft. | 40 | 3 00 | | |
| Broussonetia (Paper Mulberry) 12 | to 14 ft. | 75 | 6 00 | | |
| .10 | to 12 ft. | 50 | 4 00 | | |
| Outline Control | | 1 00 | | | |
| | to 6 ft. | 75 | 4 00 | | |
| " Kaempferii 8 | | 50 | 4 00 | | |
| | to 4 ft. | 35 | 2 50 8 00 | | |
| " Speciosa | to 14 II. | 75 | $\begin{array}{c} 8 & 00 \\ 6 & 00 \end{array}$ | | |
| " " 10 « " | to 14 II. | 50 | 4 00 | | |
| « « | to 10 11. | | 3 00 | 1 | |
| " Syringafolia10 | to 12 ft | 1 | 5 00 | l . | |
| " Syringarona | to 12 ft. | | $\frac{0}{4} \frac{00}{00}$ | | |
| | to 8 ft. | | 3 00 | 1 | 1 |
| | to 10 ft. | | 7 50 | 1 | |
| | to 8 ft. | | | 1 | |
| | to 6 ft. | T . | 4 00 | 35 00 | |
| | to 4 ft. | 40 | 1 | 25 00 | |
| Elm—American Black | 2 to 14 ft. | 1 00 | 7 50 | | |
| |) to 12 ft. | 75 | | | |
| " White10 | | | 1 | 1 | |
| | 3 to 10 ft. | | 1 | | |
| | o to 8 ft. | | 1 | | |
| |) to 12 ft. | | 1 | | |
| | 3 to 10 ft. | | 1 | | |
| | o to 8 ft. | | 1 | 1 | , |
| " Cucullata | 8 to 10 ft. | . 50 | | 1 | |
| English or French 1 | 2 to 14 it. | . 75 . 50 | | | |
| " " " " "1 | 0 (0 14 16 2 to 16 ft | 40 | 1 | | |
| " Huntingdon | 9 to 14 ft | 1 00 | | | |
| " " " " " " " " | 0 to 12 ft | 75 | | | • |
| 66 66 | 8 to 10 ft. | 50 | | | |
| " Monumentalis | 8 to 10 ft | . 50 | | | |
| " Purple-leaved1 | 0 to 12 ft | | |) | |
| 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 | 8 to 10 ft | . 50 | 1 |) | |
| " Variegated | 8 to 10 ft | $. \mid 50$ | 4 00 |) | |
| Horse Chestnut—Red-flowering | b to bit | . 1 00 | | | |
| 66 66 66 | 4 to 5 It | . (6 | T . | | |
| | 2 to 14 ft | | 1 | | |
| | 0 to 12 ft | | 1 | | |
| | 8 to 10 ft | | - 1 | 1 - | |
| | 6 to 8 ft | . 7 | 5 6 0 | 0 50 0 | O1 |

| | 1 | | | |
|---|--|-----------------------------|-------------------------------|-----------|
| | Each. | Per 10. | Per 100. | Per 1000. |
| Judas Tree—(Red Bud) 8 to 10 ft. | 75 | 5 00 | | |
| " " " 6 to 8 ft. | 50 | 4 00 | | |
| Kentucky Coffee Tree— 6 to 8 ft. | 75 | 5 00 | | |
| " 5 to 6 ft. | 50 | 4 00 | | |
| Kolreuteria—Paniculata 8 to 10 ft. | 75 | 5 00 | | |
| Laburnum— 4 to 5 ft. | 50 | 4 00 | | |
| Larch —European, pot-grown $1\frac{1}{2}$ to 2 ft. | 50 | F 00 | | |
| "Japanese 8 to 10 ft. | 75 | 5 00 | | |
| Linden—American 8 to 10 ft 6 to 8 ft. | 75 50 | 5 00 | | |
| " European | - 1 | 4 00 | | |
| " " | 75 | 6 00 | 50 00 | |
| " " 8 to 10 ft. | 60 | 5 00 | 40 00 | |
| " " 6 to 8 ft. | 50 | 4 00 | 35 00 | |
| "White or Silver-leaved 10 to 12 ft. | | 7 50 | 90 00 | |
| Locust—Bessoniana (Thornless)12 to 14 ft. | 75 | 5 00 | 35 00 | |
| " " " 10 to 12 ft. | 50 | 4 00 | 30 00 | |
| " " 8 to 10 ft. | 40 | 3 00 | $\frac{35}{25} \frac{00}{00}$ | |
| " Common or Black 12 to 14 ft. | 50 | 4 00 | 30 00 | |
| " " " 10 to 12 ft. | 40 | 3 00 | 25 00 | |
| " " 8 to 10 ft. | 35 | 2 50 | 20 00 | |
| " Decaisneana | 75 | 5 00 | | |
| " 10 to 12 ft. | 50 | 4 00 | | |
| " Honey 8 to 10 ft. | 50 | 4 00 | | |
| " 6 to 8 ft. | 40 | 3 00 | | |
| " Inermis 8 to 10 ft. | | | | |
| " " 5 to 6 ft. | 75 | 5 00 | | |
| " 4 to 5 ft. | 50 | 4 00 | | |
| "Rose-flowering 4 to 6 ft. | - 1 | 7 50 | | |
| 0 to ± 1to | 75 | $\frac{5}{7} \frac{00}{50}$ | | |
| Magnolia—Acuminata 6 to 8 ft. 4 to 6 ft. | $\begin{array}{c c} 1 & 00 \\ \hline 75 \end{array}$ | 7 50 5 00 | | |
| | | 5 00 | | |
| " Conspicua 3 to 4 ft. Gracilis 3 to 4 ft. | 1 | | | |
| " | 75 | | | |
| "Halleana $1\frac{1}{2}$ to 2 ft. | | İ | | |
| "Kobus 4 to 5 ft. | 1 | | | |
| " 3 to 4 ft. | - 1 | | | |
| " Lennei 5 to 6 ft. | 1 | | | |
| " Purpurea 3 to 4 ft. | í | | | ٠. |
| " Rubra 3 to 4 ft. | 1 | | | |
| " Soulangeana 2 to 3 ft. | | | | |
| " Stellata 3 to 4 ft. | | | | |
| " $\frac{1}{2} \text{ to } 2 \text{ ft.}$ | | | | |
| Maiden Hair Tree—(Salisburia) 8 to 10 ft. | | 7 50 | | |
| " 6 to 8 ft. | 75 | 6 00 | | |
| " 4 to 6 ft. | 50 | 4 00 | 1 | |

| | Each | . Per 10. | Per 100. | Per 1000. |
|---|------|--|----------|-----------|
| Maple—Ash-leaved (Box Elder)12 to 14 fe | 5 | 0 4 00 | 30 00 | |
| " 10 to 12 f | 1 | | 25 00 | |
| " " 8 to 10 ft | 1 | | | 1 |
| " 6 to 8 ft | 1 | I | | |
| " Variegated 6 to 8 ft | - | 1 | | |
| "California10 to 12 f | 1 | | 1 | |
| " 8 to 10 fr | 2 | $\begin{bmatrix} 2 & 00 \\ 3 & 00 \end{bmatrix}$ | | |
| English Colk 12 to 14 1 | 7 | | 1 | |
| " " " | | | | |
| "Japanese Variegated, | . 1 | | | t i |
| 7-inch pots 2 to 3 f | 1 5 | | | |
| Atro-purpurea, Atro-varie- | . 1 | | | |
| gatum, Filicifolium, Pal- | | | | |
| matum, Pictum album, | | | 1 | |
| Roseum, Sanguineum. | | | | |
| " Norway | . 5 | 0 4 00 | | |
| " " 8 to 10 ft | . 4 | 0 3 00 | | , |
| " Oregon | | 6 00 | | |
| " " 10 to 12 ft | . 6 | 0 5 00 | | |
| " " 8 to 10 ft | | | | 1 |
| " " 6 to 8 ft | | | | |
| "Schwedlerii 9 to 10 ft | 1 | | | |
| " | | | | |
| " Silver, or Soft 10 to 12 ft | | | | I . |
| " " " 8 to 10 ft | | | | app Alaba |
| 0 10 0 10 | | | | |
| Bugar 0 to 0 to | | | 1 | |
| 10 010 | | 1 | 1 | 1 |
| " Sycamore | | | | |
| "Weir's Cut-leaved 6 to 8 f | | | 1 | |
| " " 5 to 6 f | | | | |
| Mountain Ash—European 6 to 8 ft | 1 | 1 | 1 | : |
| " " 10 3 to 4 f | | | 1 | İ |
| " Oak-leaved 4 to 5 ft | | 1 | 1 | |
| Mulberry-Downing's Everbearing 6 to 8 f | | 0 4 60 | 30 00 | |
| " 4 to 6 f | 1 | 0 3 00 | 25 00 | |
| " Lick's American 6 to 8 ft | | | | |
| " Multicaulis 8 to 10 f | | _ | | |
| 6 to 8 ft | i i | | 1 | |
| " New American 10 to 12 ft | | | | |
| " " " 8 to 10 ft | 1 | 1 | 1 | |
| 0 10 0 11 | | |) | |
| 110 01 | 1 - | | | ł. |
| " Russian 6 to 8 ft | 5 | 0 4 00 | 30 00 | i |

| | Each. | Per 10. | Per 100. | Per 1000. |
|---|-------|---------|--------------------------|-------------|
| Mulberry—Russian 4 to 6 ft. | 40 | 3 00 | 25 00 | |
| " White (Alba) 6 to 8 ft. | 25 | 2 00 | 1 | |
| Oak-Aquatica (Water Oak)10 to 12 ft. | | | | |
| " Cut-leaved 6 to 8 ft. | 1 | | A decision of the second | |
| " English, (Robur)10 to 12 ft. | 75 | 6 00 | i i | |
| " " 8 to 10 ft. | 60 | 5 00 | | |
| " " 6 to 8 ft. | 50 | 4 00 | ļ. | |
| "Golden 3 to 4 ft. | | | | |
| "Scarlet (Coccinea)10 to 12 ft. | 1 00 | 7 50 | | |
| " " " 8 to 10 ft. | 75 | 6 00 | | : |
| " Silver 3 to 4 ft. | 2 00 | | | • · |
| Paulownia—Imperialis 6 to 7 ft. | 1 00 | 7 50 | | |
| " 5 to 6 ft. | 75 | 6 00 | | - - - |
| " " 4 to 5 ft. | 60 | 5 00 | | |
| " " 3 to 4 ft. | 50 | 4 00 | | r. |
| Pecan — | 50 | 4 00 | | • |
| " 4 to 5 ft. | 40 | 3 00 | | |
| Peach—Double Crimson 4 to 5 ft. | 50 | 4 00 | | |
| " White 4 to 5 ft. | 50 | 4 00 | | |
| Persimmon — American 4 to 6 ft. | 50 | 4 00 | | |
| " 2 to 3 ft. | 40 | 3 00 | | |
| " European 4 to 6 ft. | 50 | 4 00 | | |
| " 3 to 4 ft. | 40 | 3 00 | | |
| Plum—(Double Flowering Sloe) 4 to 5 ft. | 50 | 4 00 | | |
| " Purple-leaved (Pissardi) 6 to 8 ft. | 50 | 4 00 | | |
| Poplar—Carolina | 50 | 4 00 | | : |
| " " 8 to 10 ft | 40 | 3 00 | | |
| " Lombardy 12 to 14 ft. | 75 | 5 00 | 13 | |
| " | 50 | 4 00 | 30 00 | |
| " 8 to 10 ft. | 35 | 2 50 | 15 00 | |
| " Pyramidal White 10 to 12 ft. | 75 | 5 00 | | |
| "White, or Silver-leaved 12 to 14 ft. | 75 | 5 00 | | |
| " 6 to 8 ft. | 50 | 4 00 | | |
| Rhamnus — Purshianus 6 to 8 ft. | 50 | 4 00 | | |
| Service Tree—(Sorbus Domestica) 6 ft. | 75 | | | |
| " " " 3 to 4 ft. | 50 | 4 00 | | |
| Sophora—Japonica | 75 | 5 00 | | • |
| " 6 to 8 ft. | 50 | 4 00 | | |
| 4 to 0 H. | 40 | 3 00 | | |
| Sycamore—European | | 7 50 | | |
| | 75 | 5 00 | | |
| 0 (0 10 11. | 50 | 4 00 | | |
| Tamarix—(Three varieties) 4 to 6 ft. | 35 | 2 50 | | |
| Taxodium—Distichum (Deciduous | F7.0 | 5 00 | | |
| Cypress) 4 to 6 ft. | 75 | 5 00 | | |
| " 3 to 4 ft. | 50 | 4 00 | | · |

| | Each. Per 10. | Per 100. | Per 1 |
|---------|---|----------|-------|
| Texas | Umbrella— 8 to 9 ft. 1 00 7 5 |) | |
| 66 | " 7 to 8 ft. 75 6 0 | 40 00 | |
| 66 | " 6 to 7 ft. 60 5 0 | 35 00 | |
| 66 | " 5 to 6 ft. 50 4 0 | 30 00 | |
| 6.6 | " 4 to 5 ft. 40 3 0 | 25 00 | |
| 6.6 | 3 to 4 ft. 35 2 5 | 20 00 | |
| Thorn- | —Cockspur 3 to 4 ft. 50 4 0 | | |
| 6 € | Double White 8 to 10 ft. 1 00 | | |
| 6.6 | " " 6 to 8 ft. 75 5 0 |) | |
| 66 | " 5 to 6 ft. 50 4 0 |) | |
| 66 | Paul's Double Scarlet 8 to 10 ft. 1 00 | | |
| 6 % | " " 6 to 8 ft. 75 5 00 |) | |
| 66 | " " 50 4 00 iii 50 4 00 |) | |
| 66 | Pyramidal 4 to 6 ft. 75 5 00 |) | |
| 64 | " 3 to 4 ft. 50 4 00 |) | |
| 66 | Rubra Splendens 4 to 6 ft. 75 5 00 |) | |
| 6.6 | Single White 5 to 6 ft. 35 2 50 |) | |
| Tulip ' | Tree — 6 to 7 ft. 75 5 00 | | |
| 66 | " 50 4 00 | | |
| ec | " 4 to 5 ft. 40 3 00 |) | |
| Virgili | ia Lutea—(Yellow Wood). 8 to 10 ft. 1 00 7 50 |) | |
| 66 | " " 6 to 8 ft. 75 5 00 |) | |
| Walni | at—American Black |) | |
| · 6 | "10 to 12 ft. 75 5 00 |) | |
| 6.6 | " " … 8 to 10 ft. 50 4 00 | 35 00 | |
| 46 | " 6 to 8 ft. 40 3 00 | 25 00 | |
| 46 | " " to 6 ft. 35 2 50 | | |
| 66 | " " 3 to 4 ft. 25 2 00 | | |
| 6.6 | California " 10 to 12 ft. 75 5 00 | | |
| 4.6 | " " 8 to 10 ft. 50 4 00 | 1 | |
| 66 | " " 6 to 8 ft. 35 2 50 | | |
| Willo | w —Golden | 1 | |
| 66 | Cutting's Osier 12 inch | 1 00 | 6 00 |
| 66 | " French and | | |
| | German varieties | 2 00 | |
| 66 | Ring-leaved (Annularis) 4 to 5 ft. 35 2 50 | | |
| 66 | Sallow (Caprea) 4 to 6 ft. 35 2 50 | | |
| | | | |

Decidaous Weeping Trees.

| Each. | Per 10. | Per 100. |
|---------------------------------------|---------|----------|
| Ash —European | | |
| " Gold-barked 5 to 6 ft. 1 00 | | |
| Beech 4 to 5 ft. 5 00 | | |
| " 3 to 4 ft. 3 00 | ~ 00 | |
| Birch—Cut-leaved 6 to 8 ft. 75 | 500 | |
| " to 6 ft. 50 | 4 00 | |
| " Young's 8 to 10 ft. 1 00 | | |
| Cherry—Japonica Rosea 3 to 4 ft. 1 00 | | |
| Elm—Camperdown 5 to 6 ft. 1 00 | 7 50 | |
| Laburnum 5 to 6 ft. 1 00 | | |
| Linden | | |
| Mountain Ash 5 to 6 ft. 1 00 | | |
| Mulberry—Tea's | | |
| Sophora 4 ft. 2 50 | | |
| Thorn 6 to 8 ft. 1 00 | | |
| Willow—Common | 4 00 | |
| " 8 to 10 ft. 40 | 3 00 | |
| "Kilmarnock | 7 50 | |
| " Lick's | 5 00 | |
| " " 10 to 12 ft. 50 | 4 00 | |
| " 8 to 10 ft. 40 | 3 00 | |
| " 6 to 8 ft. 30 | 2 00 | |
| " New American 6 to 7 ft. 1 50 | 12 00 | |
| " " 5 to 6 ft. 1 00 | 7 50 | |

Evergreen Trees and Shrubs.

Nearly all the plants mentioned under this heading have been once or more transplanted, thereby greatly adding to the certainty of their growing. In order also to reduce the amount of soil and consequent freight charges, we have grown those varieties most in demand, in pots. In shipping to distant points this is especially desirable.

| | | | | | | | Each. | Per 10. | Per 100. | Per 1000. |
|------------------------------|--------------|-------------------------------|----------|-------------|--------------------------------------|-----|-------|---------|---|-----------|
| Acacia—Cultr " Cyan " " Deal | ophylla " | , 4-ir 1, 5 4 4 5 | nch pois | 5 3 2 | to 3 to 6 to 4 to 3 to 4 | ft. | 50 | | 0 | |

| | | | | | | | Ea | ich. | Per | 10. | Per 100. | Per 1000. |
|---------|---------------|---------------|---------------------|----------|----|-----|-----|----------|-----|-----|----------|-----------|
| Acacia- | –Dealbata, | 5-inch p | ots, $1\frac{1}{2}$ | to | 2 | ft. | | 35 | 2 | 50 | | |
| " | Longifolia, | 4 " | 5 | to | 6 | ft. | | 50 | | 00 | | |
| • 6 | 66 | 4 " | | to | | ft. | | 40 | | 00 | | |
| 44 | " · | 4 " | | to | | ft. | 1 | 30 | | 50 | | |
| 4.4 | Lopantha, | 5 " | | to | | ft. | | 50 | | 00 | | |
| 46 | | | | to | | ft. | 1 | 40 | 3 | 00 | | |
| 66 | Melanoxylon | 4-inch p | | to to | | ft. | 1 | 00 35 | 9 | 50 | | |
| 66 | , " | 4 66 | | to | | ft. | | 25 | | 00 | | |
| 66 | Mollissima, | 4 " | | to | | ft. | | 50 | | 00 | | |
| 66 | Retinoides, | 5 " | 6 | to | | ft. | | 75 | | 00 | | |
| 66 | 46 | 5 " 5 " | | to | | ft. | | 50 | | 00 | | |
| 66 | 66 | 5 " | 3 | to | | ft. | 1 | 40 | | 00 | | |
| • 6 | 66 | 4 " | | to | 4 | ft. | | 30 | . 2 | 50 | | |
| 66 | . 66 | 4 " | | to | | ft. | - | 25 | 2 | 00 | | |
| 66 | Verticillata, | 4 " | | to | 6 | ft. | | 50 | | 00 | | |
| 66 | 6.6 | 4 " | | to | | ft. | | 40 | 3 | 00 | | |
| | Papyrifera, | 4 " | _ | to | 2 | ft. | | 50 | 4 | 00 | | |
| 66 | Sieboldi Vari | | | | | | | | _ | | | |
| | pots | | 1 | | | | | | 7 | 50 | | |
| | ia—Bidwellii | | | | | ft. | | 00 | | | | |
| 66 | ς c | 5-inch po | ots, 12 | to | 15 | in. | 1 | | | | | |
| 66 | | 5 " | | | | in. | | 00 | | - 4 | | |
| 66 | Braziliensis, | 5 " | | | | ft. | | | | | | |
| 66 | | 9 | | | | ft. | | | | | | |
| 66 | Cunningham | 111, 1-1n. po | | | | | | | | | | |
| 4.6 | Excelsa, bo | , | 1 2 | | | ft. | | 00 | | | | |
| 66 | | xeu | | | | ft. | | | | | | |
| 66 | " 5-j | nch pots. | | | | | | | | | | |
| 66 | Imbricata, b | | | | | | 1 - | - 7 | | i | | |
| 64 | 66 | " | | | | | | | | | | |
| 66 | 66 | | 1^{2} | | | | | | | | | |
| 66 | 66 | 4-inch p | | | | | | | | | , | |
| Arbor V | itæ—America | | | | | | | 75 | 5 | 00 | 1 | |
| 44 | 66 | | 2 | | | | | | | 00 | | |
| 66 | Aurea Dai | | | | | | | | | | | |
| 6.6 | Chinese V | | | | | | | į | | | į | |
| | | | | to | 7 | ft. | 2 | 50 | | Ì | | |
| 44 | Chinese V | ariegated | , | | | | | | | | | |
| | balled. | | 4 | to | 5 | ft. | 1 | 50 | | | | |
| 66 | Chinese V | ariegated | , | | | | | | | | | |
| | | • • • • • • • | | to | 4 | ft. | 1 | 00 | | | | |
| \$6 | Chinese Si | | | | | | | | | | | |
| | | balled | | to | 5 | ft. | 2 | 50 | | | | |
| " | Evergolde | | | | 0 | C | _ | ~ 0 | | | | |
| | Auresce | ens), ball | ed | | 3 | it. | 11 | 50 | | 1 | | |

| | | | Eac | eh. | Per 10. | Per 100. | Per 1000. |
|--|----|-----|-----|-----|---------|----------|-----------|
| Arbor Vitæ—Evergolden (Semper | | | | | | | |
| Aurescens), balled | 2 | ft. | 1 (| 00 | | | |
| " Evergolden (Semper | _ | | | | | | |
| Aurescens), balled | 11 | ft. | - | 75 | | | 8 |
| " Geo. Peabody, balled | | ft. | 4 | 50 | | | |
| " Golden balled | | | 2 | 1 | | | |
| | | ft. | | - (| | | |
| * | | | 1 | 50 | 7 50 | ` | |
| * * * * * * | 2 | ft. | T (| 00 | 7 50 | | |
| organitea, or Lobbin, o | 0 | c. | ١. | | | | |
| inch pots $\dots 1\frac{1}{2}$ to | 2 | ft. | ' | 75 | | | |
| " Gigantea, or Lobbii, | | | | | | | |
| Variegated, balled 2½ to | 3 | ft. | 2 | 50 | | | |
| " Japan (Filiformis), | | | | | | | |
| balled4 to | 5 | ft. | 2 8 | 50 | | | |
| " Japan (Filiformis), | | | | , | | | - |
| balled | 3 | ft. | 1 : | 50 | | | |
| " Japan Weeping (Fili- | | | | | | | |
| formis pendula), | | | | | | | 1 |
| balled | 3 | ft. | 1 4 | 50 | | | |
| " Rollinson's Golden | | 411 | | | | | |
| (Elegantissima), | | | | | | | |
| balled | А | f+ | 1 | 50 | | | |
| | ı | 16. | 1 | JU | | | 1 |
| Tollinson's Golden, | | | | | | | 1 |
| (Elegantissima), | 0 | C. | 1 | 00 | | | |
| balled | 2 | ft. | 1 | 00 | 1 00 | | 1 |
| " Siberian, balled | 12 | ft. | 1 | 50 | 4 00 | | |
| " Vervaene's Varie- | | | | | | | 1 |
| gated, balled | | | | 75 | | | 1 |
| Arbutus —Croomi, 7-inch pots $1\frac{1}{2}$ to | | | | 50 | | | |
| " Unedo, balled 2 to | 3 | ft. | 1 (| 00 | | | |
| " " "1 to | 2 | ft. | 1 | 75 | | | 1 |
| Aucuba —Japonica, 7-inch pots $1\frac{1}{2}$ to | 2 | ft. | 1 (| 00 | | | ļ. |
| " Viridis Latifolia, 6- | | | | | | | : |
| inch pots $1\frac{1}{2}$ to | 2 | ft. | 1 (| 00 | | 1 | , |
| Azalea-Grafted Varieties, 6-inch | | | | | | | |
| pots | 2 | ft. | 1 8 | 50 | | | |
| Azara—Macrophylla, balled 1½ to | 2 | ft. | 1 | 50 | | | |
| " 7-inch pots | | ft. | - | 75 | | | |
| Bamboo—Falcata, balled 3 to | | | 1 | 50 | 4 00 | | 1 |
| " Metake, " 3 to | | | 1 | 50 | 4 00 | | |
| " Simonii, " | | ft. | 1 | 00 | 1 00 | | |
| " Viridis Striata, balled 3 to | | | 1 | 50 | 4 00 | | |
| | | | 1 | 00 | 1 00 | | |
| violescens, balled 0 to | | | 1 | | 1 00 | | |
| Offsets of above 2 to | | | | 15 | 1 00 | | |
| Benthamia—Japonica, balled | | | 1 | | | | |
| Berberis —Darwinii, 5-inch pots $1\frac{1}{2}$ to | 2 | II. | 1 | 50 | | l | 1 |

| | | | | | | 1 | Each. | Per | 10. | Per | 100. | Per 1000 |
|------------|-----------|---------------------------------------|------------|------------------------|------------------|--------|-------|-----|-----|-----|------|----------|
| Berbe | eris —Dar | winii. 3-in | ch pots. | .10 0 | 12 i | a. | 5 | | | | | |
| | -Dwarf (| | | | | 1 | | | 75 | 6 | 00 | |
| 66 | | Broad-leav | | | 3 f | | 50 | 4 | 00 | | 00 | |
| 66 | 66 | 1 66 | ou, surre | | 12 in | 1 | 35 | | 50 | | | |
| £4 | 66 N | arrow | 66 | 10 00 | $1\frac{1}{2}$ f | | 50 | | 00 | | | |
| 66 | _ | irens (Co | | ree Bo | _ | | | • | | | | |
| 66 | 66 | | led | | | t | 75 | 5 | 00 | | | |
| 66 | 66 | 6 | | $1.1^{\frac{1}{2}}$ to | | | 50 | | 00 | 25 | 00 | |
| 6. | 66 | Argente | a, balled | | | | | 1 | | 20 | 00 | |
| 6.6 | 66 | " " " " " " " " " " " " " " " " " " " | | $2\frac{1}{2}$ to | | | 75 | 5 | 00 | | | |
| 66 | 66 | 66 | | 10 to | | | 35 | | 50 | | | |
| (- | 66 | Aurea | | 10 to | | | 35 | | 50 | | | |
| 66 | 46 | Druprac | | 10 to | | | 35 | 9 | 50 | | | |
| 6. | 66 | Hanswo | | | | | 75 | | 00 | | | |
| 66 | 66 | manswo. | | 3 to | | | 4 | | | | | |
| 66 | 66 | 66 | | 2 to | | | 50 | 4 | | | | |
| 66 | | | | . 10 to | | - 1 | 35 | | 50 | | | |
| | 7 ** | Oliefolia | • | . 10 to | 12 1 | 1. | 35 | 2 | 50 | | | |
| Brach | ychiton- | | | | 4 0 | 4 | 0.0 | | İ | | | |
| | | | | | 41 | t. L | . 00 | | | | | |
| | 66 | | olium, 5-i | | | | | | | | | |
| | | | | | | | | | | | | |
| Budd | lea—Glo | bosa, 6-in. | pots | | 2 f | t. | 50 | | | | | |
| Califo | rnia Bay | Tree —(0 | Oreodaph | ne) | | | | | | | | |
| | | | balled | 3 to | 5 f | t. 1 | 00 | 7 | 50 | | | |
| | 66 66 | 66 | 66 | | 2 f | t. | 50 | 4 | 00 | | | |
| Califo | rnia Big | Tree(| Sequoia | | | | 1 | | | | | |
| | _ | | a) boxed | 6 to | 8 f | t. 5 | 00 | | | | | |
| 6 | (6 | 'balled | | | | | | | | | | |
| . " | | | | | | | 75 | 6 | 00 | | 1 | |
| | • 6 | " 6-inch | | | | | | | 00 | | | |
| 4 | | itmeg—(| | | | | | | | | | |
| | | (| | ed 7 to | 8 f | t. 6 | 0.0 | | | | | |
| 6 | | 66 | " balle | | | - 1 | | | | | | |
| 4 | | 66 | 66 - 66 | | | | | | | | | |
| Callie | temon- | Hybridar | | | 01 | . 2 | 00 | | | | *. | |
| Callis | temon- | | | | 4 f | . 1 | 00 | | | | | |
| 6 | 66 | D.11:4 | | . 5 10 | . # 1 | . L | 00 | | | | | |
| · | | | n, 4-inch | 9 4. | A .C | . 4 | 00 | | } | | | |
| ~ | 1: - T | pots | 11. D' 1 | 5 10 | 41 | . 1 | 00 | | | | - | |
| came | lia—Japo | | | ۵, | | | | | | | | |
| | | | Red and | | | | | | | | | |
| | | Double | | 0 | 0.0 | -4 | - | | 1 | | | |
| | | | balled | | | 1 | | | | | | |
| 66 | 66 | " | . " | $1\frac{1}{2}$ to | | 1 | 1 | | | | 1 | |
| 66 | 66 | | 0-in. pots | | | | | | | | | |
| | | | 01 | 0 1 | 01 C | 0 | EAL | | | | 1 | |
| " | 66 | 66 | " | . 2 to | 2_2 I | l. Z | 90 | | | | | |

| Camelia—Jap., Variegated, balled $.1\frac{1}{2}$ to 2 ft. 1 50 " " 8-in. pots $.1\frac{1}{2}$ to 2 ft. 2 50 Camphor Tree—Balled 5 to 6 ft. 1 50 " 3 to 4 ft. 75 " 5-inch pots 4 to 5 ft. 1 00 " 5-inch pots $1\frac{1}{2}$ to 2 ft. 50 Cassia—Tomentosa, 7-inch pots 1 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled . 5 to 6 ft. 1 00 " 4 to 5 ft. 75 " 4 to 5 ft. 75 | Per 1000. |
|---|-----------|
| Camphor Tree—Balled 5 to 6 ft. 2 50 " 3 to 4 ft. 75 " 2 to 3 ft. 50 " 5-inch pots 4 to 5 ft. 1 00 " 5-inch pots 3 to 4 ft. 75 " 4-inch pots $\frac{1}{2}$ to 2 ft. 50 Cassia—Tomentosa, 7-inch pots 7 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled 5 to 6 ft. 1 00 " 4 to 5 ft. 75 | |
| Camphor Tree—Balled 5 to 6 ft. 1 50 3 to 4 ft. 75 6-inch pots 1 00 5-inch pots 3 to 4 ft. 5-inch pots 3 to 4 ft. 75 75 4-inch pots 1 00 4-inch pots 1 00 6-inch pots 1 00 1 00 75 1 00 1 00 Cassia—Tomentosa, 7-inch pots 7 to 8 ft. 5 to 6 ft. 1 00 4 to 5 ft. 75 | |
| " " 3 to 4 ft. 75 " 2 to 3 ft. 50 " 6-inch pots. 4 to 5 ft. 1 00 " 5-inch pots. 3 to 4 ft. 75 " 4-inch pots. $1\frac{1}{2}$ to 2 ft. 50 Cassia—Tomentosa, 7-inch pots. 7 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled. 5 to 6 ft. 1 00 " 4 to 5 ft. 75 | |
| " 6-inch pots 4 to 5 ft. 1 00 " 5-inch pots 3 to 4 ft. 75 " 4-inch pots 1½ to 2 ft. 50 Cassia—Tomentosa, 7-inch pots 7 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled 5 to 6 ft. 1 00 " " 4 to 5 ft. 75 | |
| " 6-inch pots 4 to 5 ft. 1 00 " 5-inch pots 3 to 4 ft. 75 " 4-inch pots 1½ to 2 ft. 50 Cassia—Tomentosa, 7-inch pots 7 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled 5 to 6 ft. 1 00 " " 4 to 5 ft. 75 | |
| "5-inch pots | |
| Cassia—Tomentosa, 7-inch pots $1\frac{1}{2}$ to 2 ft. 50 Cassia—Tomentosa, 7-inch pots 7 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled 5 to 6 ft. 1 00 " " 4 to 5 ft. 75 | |
| Cassia—Tomentosa, 7-inch pots 7 to 8 ft. 1 00 Casuarina—Quadrivalvis, balled 5 to 6 ft. 1 00 " " 4 to 5 ft. 75 | |
| Casuarina—Quadrivalvis, balled 5 to 6 ft. 1 00 " 4 to 5 ft. 75 | |
| " 4 to 5 ft. 75 | |
| | |
| " 4-inch pots 4 to 6 ft. 1 00 | |
| "Stricta, balled 2 to 3 ft. 50 | |
| " 4-inch pots 3 to 4 ft. 75 | |
| Ceanothus—Azureus, 5-inch pots. 1 to $1\frac{1}{2}$ ft. 50 | |
| Cedar—Mt. Atlas (Atlantica) boxed 7 to 8 ft. 6 00 | |
| " " 6 to 7 ft. 5 00 | |
| " balled 2 to 2½ ft. 2 50 | |
| "Deodor, or Indian, boxed 10 to 12 ft. 10 00 | |
| " balled 5 to 6 ft. 4 00 | |
| " " " 4 to 5 ft. 3 00 | |
| " " 3 to 4 ft. 2 50 | |
| " " 2 to 3 ft. 1 50 | |
| " " 6-in pots 2 to 3 ft. 1 50 | |
| " Lebanon, boxed 9 to 12 ft. 10 00 | |
| " " To 9 ft. 8 00 | |
| " " 6 to 7 ft. 6 00 | |
| " balled 2 to 3 ft. 1 50 | |
| Cephalotaxus—Drupracea, 5-inch | |
| pots $\dots 1\frac{1}{2}$ to 2 ft. $\begin{vmatrix} 1 & 00 \end{vmatrix}$ | |
| "Fortunei, balled . 2 to 3 ft. 75 | |
| " " $1\frac{1}{2}$ to 2 ft. 50 | |
| Cestrum—Aurantiacum, 8-in pots. 3 to 4 ft. 1 00 | |
| Choisya—Ternata, balled 1 to 1½ ft. 50 | |
| Corynocarpus—Lævigatus, 7-inch pots 3 to 4 ft. 75 | |
| | |
| Crataegus—Pyracantha, balled 3 to 4 ft. 75 | |
| " 4-inch pots. 3 to 4 ft. 75 | |
| " " 2 to 3 ft. 50 | |
| 01 0 14 00 | |
| Cryptomeria—Elegans, 5-in. pots. $2\frac{1}{2}$ ft. $\begin{vmatrix} 1 & 00 \\ 1 & 50 \end{vmatrix}$ " Japonica, balled 4 to 6 ft. $\begin{vmatrix} 1 & 50 \\ 1 & 50 \end{vmatrix}$ | |
| " $3 \text{ apontea, banea} \dots 4 \text{ to } 5 \text{ it.} 75$ " $6 \dots 2 \text{ to } 2\frac{1}{2} \text{ ft.} 75$ | |
| " 6-inch pots 3 to 4 ft. 1 50 | |
| " 6 " " 2 to 3 ft. 1 00 | |
| " Araucarioides, | |
| balled 1 to $1\frac{1}{2}$ ft. $\begin{vmatrix} 1 & 00 \end{vmatrix}$ | |

| | | | | 1 - | 1 | |
|------------|----------------------------------|-------------------------------|------|----------------|----------|-----------|
| | | | Each | Per 10. | Per 100. | Per 1000. |
| Cunningh | namia—Sinensis, balled | 2 ft. | 1 0 |) | | |
| Cypress- | -Braziliensis, 6-inch pots. 2 to | 3 ft. | 5 |) | | |
| 66 | Goveniana, 6 " ". 3 to | 4 ft. | 5 |) | | |
| | Guadalupensis, 6-in. ". 2 to | 3 ft. | 5 |) | | |
| •• | Funeral, balled 5 to | | | | | |
| * * | Italian, Trans. balled 8 to | | | | 1 | |
| | " " 6 to | | | | 1 | |
| •• | " " " 5 to | | | | : | |
| • • | " 5-inch pots 2 to | | | | | |
| • 6 | Lawsoniana (Lawsons) | | | | | |
| | balled 4 to | 5 ft | 1 0 |) | | |
| | " " 3 to | | | | , | |
| ** | " 6-inch pots 3 to | | | | 1 | |
| • • | " 6 " " 2 to | | | | | |
| | argentea, balled. 2 to | | | | | |
| | " densa " | | | | | |
| 6.0 | " lutea " | $\frac{1\frac{1}{2}}{11}$ ft. | 1 | | | |
| • • | Tutta | $1\frac{1}{2}$ ft. | I O | 9 | | |
| · | stricta viriuis, | 21 6 | 11 0 | | | |
| 6.6 | balled 4 to | $2\frac{1}{2}$ ft. | | | 1 | |
| | | 5 ft. | | | | |
| •• | 9 10 | 4 ft. | | | | |
| 6.6 | . 4 | 4 ft. | | | | |
| 44 | | 3 ft. | 7 | 5 | | |
| •• | Monterey, Transplanted | 0.0 | | | | |
| | | 8 ft. | _ | | | |
| * * | | 6 ft. | | | | |
| 6 9 | " " " 3 to | | | | | |
| | | 3 ft. | 2 | | | |
| • 6 | | 2 ft. | 2 | 0 1 50 | 12 00 | |
| •• | " 5-inch pots. 2 to | 3 ft. | 1 3 | 5 2 50 | 20 00 | |
| ** | " Transplanted in bo | xes 2 | | | | |
| | years 12 to 15 inche | es. | | | 4 00 | 30 00 |
| 46 | " Transplanted in bo | | | | | |
| | year, 8 to 10 inches | s. | | | 3 00 | 20 00 |
| | " Variegated, | | | | | |
| | balled $1\frac{1}{2}$ to | 2 ft. | 1 0 |) | | |
| 4. | Torulosa, 5-inch pots 1½ to | | | | 2 | |
| Daphne- | -White flowering, balled 3 to | | | | | |
| 44 | | 3 ft. | | | 1 | |
| 64 | | 2 ft. | | | | |
| Diosma- | | | | | | |
| | —Japonica 5 " 1 to | | | | | |
| | a—Besteriana 7-inch pots. 2 to | | | | | |
| Listationi | | 3 ft | 7 | | | |
| 66 | | 1½ ft. | 7 | | | |
| 4. | | | | | | |
| | Troseum / 2 to | 2 ft. | 7 | | t | |

| ### Eucalyptus — Globulus (Blue Gum), | 00 00 00 00 00 | 30 | 00 |
|--|----------------------------|-------|----|
| 5-inch pots 5 to 6 ft. 35 2 50 20 15 Globulus, 5-inch pots 4 to 5 ft. 25 2 00 15 Globulus, Transplanted in boxes, 2 years 15 to 18 in. 4 4 4 5 5 5 5 5 5 5 | 00 00 00 00 | 30 | |
| " Globulus, 5-inch pots. 4 to 5 ft. 25 2 00 15 " Globulus, Transplant- ed in boxes, 2 years 15 to 18 in. " Globulus, Transplant- ed in boxes, 1 year. 8 to 10 in. " Viminalis (Red Gum), 5-inch pots 4 to 5 ft. 35 2 50 20 " Viminalis, 5-inch pots 3 to 4 ft. 25 2 00 15 " Viminalis, Trans. in boxes, 2 years 12 to 15 in. " Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 " "Duc d'Anjou, balled 3 to 4 ft. 50 4 00 " "Duc d'Anjou, balled 2 to 3 ft. 40 3 00 " "Golden-leaved, balled 2 to 3 ft. 50 4 00 " "Golden-margined, balled 1 to 1½ to 2 ft. 50 4 00 " "Pulchellum, balled 1 to 50 4 00 " "Silver variegated, balled 5 to 6 ft. 50 4 00 " "Silver variegated, balled | 00 00 00 00 | 30 | |
| "Globulus, Transplant- ed in boxes, 2 years 15 to 18 in. "Globulus, Transplant- ed in boxes, 1 year. 8 to 10 in. "Viminalis (Red Gum), 5-inch pots | 00 | 30 20 | |
| ## din boxes, 2 years 15 to 18 in. ## Globulus, Transplant- ed in boxes, 1 year. 8 to 10 in. ## Viminalis (Red Gum), 5-inch pots | 00 | 20 | |
| "Globulus, Transplanted in boxes, 1 year. 8 to 10 in. "Viminalis (Red Gum), 5-inch pots 4 to 5 ft. 35 2 50 20 "Viminalis, 5-inch pots 3 to 4 ft. 25 2 00 15 "Viminalis, Trans. in boxes, 2 years 12 to 15 in. "Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 """ Lot d'Anjou, balled 2 to 3 ft. 40 3 00 """ Golden-leaved, balled 2 to 3 ft. 50 4 00 """ Golden-margined, balled 2 to 3 ft. 50 4 00 """ Pulchellum, balled 1 ft. 50 4 00 """ Silver variegated, balled 5 to 6 ft. 50 4 00 """ Silver variegated, balled 5 to 6 ft. 50 4 00 """ Silver variegated, balled | 00 | 20 | |
| ed in boxes, 1 year. 8 to 10 in. "Viminalis (Red Gum), 5-inch pots 4 to 5 ft | 00 | | 00 |
| "Viminalis (Red Gum), 5-inch pots 4 to 5 ft. 35 2 50 20 "Viminalis, 5-inch pots 3 to 4 ft. 25 2 00 15 "Viminalis, Trans. in boxes, 2 years 12 to 15 in. "Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 "Duc d'Anjou, balled 3 to 4 ft. 50 4 00 "Duc d'Anjou, balled 2 to 3 ft. 50 4 00 "Golden-leaved, balled 2 to 3 ft. 50 4 00 "Golden-margined, balled | 00 | | 00 |
| 5-inch pots 4 to 5 ft. 35 2 50 20 15 25 2 00 15 25 25 2 00 15 25 25 25 25 25 25 25 | 00 | | |
| " Viminalis, 5-inch pots 3 to 4 ft. 25 2 00 15 " Viminalis, Trans. in boxes, 2 years 12 to 15 in. Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 " Duc d'Anjou, balled 3 to 4 ft. 50 4 00 " Balled 2 to 3 ft. 40 3 00 " Golden-leaved, balled 2 to 3 ft. 50 4 00 " Golden-margined, balled 1½ to 2 ft. 50 4 00 " Pulchellum, balled 1½ to 2 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled 1½ to 2 ft. 40 3 00 | 00 | | |
| "Viminalis, Trans. in boxes, 2 years12 to 15 in. "Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 """ 1 to 1½ ft. 40 3 00 """ 3 to 4 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 "" 5 to 6 ft. 50 4 00 | | | |
| boxes, 2 years 12 to 15 in. "Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 "Duc d'Anjou, balled 2 to 3 ft. 50 4 00 "Golden-leaved, balled 2 to 3 ft. 50 4 00 "Golden-margined, balled 1 to 1 to 1 to 1 to 1 to 1 to 1 | 00 | | |
| "Viminalis, Trans. in boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. """" 1 to 1½ ft. 40 3 00 """Duc d'Anjou, balled 3 to 4 ft. 50 4 00 """" """""""""""""""""""""""""""" | | 30 | 00 |
| boxes, 1 year 6 to 8 in. Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 " "Duc d'Anjou, | 00 | 30 | VV |
| Euonymus—Japonica, balled 3 to 4 ft. 50 4 00 " "Duc d'Anjou, | 00 | 20 | 00 |
| " " " 1 to $1\frac{1}{2}$ ft. 40 3 00 " Duc d'Anjou, balled 3 to 4 ft. 50 4 00 " Duc d'Anjou, balled 2 to 3 ft. 40 3 00 " " Golden-leaved, balled 2 to 3 ft. 50 4 00 " " Golden-margined, balled $1\frac{1}{2}$ to 2 ft. 50 4 00 " Pulchellum, balled 1 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled $1\frac{1}{2}$ to 2 ft. 40 3 00 " | 00 | 20 | 00 |
| " "Duc d'Anjou, balled 3 to 4 ft. 50 4 00 " "Duc d'Anjou, balled 2 to 3 ft. 40 3 00 " "Golden-leaved, balled 2 to 3 ft. 50 4 00 " "Golden-margined, balled 1½ to 2 ft. 50 4 00 " "Pulchellum, balled 1 ft. 50 4 00 " "Silver variegated, balled 5 to 6 ft. 50 4 00 " "Silver variegated, balled 5 to 6 ft. 50 4 00 | | | |
| balled 3 to 4 ft. 50 4 00 " Duc d'Anjou, balled 2 to 3 ft. 40 3 00 " Golden-leaved, balled 2 to 3 ft. 50 4 00 " Golden-margined, balled 1½ to 2 ft. 50 4 00 " Pulchellum, balled 1 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 | | | |
| " Duc d'Anjou, balled 2 to 3 ft. 40 3 00 " Golden-leaved, balled 2 to 3 ft. 50 4 00 " Golden-margined, balled 1½ to 2 ft. 50 4 00 " Pulchellum, balled 1 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled 5 to 2 ft. 4 00 | | | |
| balled 2 to 3 ft. 40 3 00 "Golden-leaved, balled 2 to 3 ft. 50 4 00 "Golden-margined, balled1½ to 2 ft. 50 4 00 "Pulchellum, balled 1 ft. 50 4 00 "Silver variegated, balled 5 to 6 ft. 50 4 00 "Silver variegated, balled 5 to 2 ft. 40 3 00 | | | |
| " "Golden-leaved, balled 2 to 3 ft. 50 4 00 " "Golden-margined, balled1½ to 2 ft. 50 4 00 " Pulchellum, balled 1 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled 5 to 2 ft. 40 3 00 | | | |
| balled 2 to 3 ft. 50 4 00 "Golden-margined, balled1 $\frac{1}{2}$ to 2 ft. 50 4 00 "Pulchellum, balled 1 ft. 50 4 00 "Silver variegated, balled 5 to 6 ft. 50 4 00 "Silver variegated, balled 2 ft. 40 3 00 | | | |
| " Golden-margined, balled1½ to 2 ft. 50 4 00 " Pulchellum, balled 1 ft. 50 4 00 " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled1½ to 2 ft. 40 3 00 | | | |
| balled $1\frac{1}{2}$ to 2 ft. 50 4 00 "Pulchellum, balled 1 ft. 50 4 00 "Silver variegated, balled 5 to 6 ft. 50 4 00 "Silver variegated, balled $1\frac{1}{2}$ to 2 ft. 40 3 00 | | | |
| " Pulchellum, balled 1 ft. 50 4 00 " "Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled 1½ to 2 ft. 40 3 00 | | | |
| balled 1 ft. 50 4 00 "Silver variegated, balled 5 to 6 ft. 50 4 00 "Silver variegated, balled 1½ to 2 ft. 40 3 00 | | | |
| " Silver variegated, balled 5 to 6 ft. 50 4 00 " Silver variegated, balled1½ to 2 ft. 40 3 00 | | ! | |
| balled 5 to 6 ft. 50 4 00 "Silver variegated, balled1½ to 2 ft. 40 3 00 | | | |
| "Silver variegated, balled1½ to 2 ft. 40 3 00 | | | |
| balled $1\frac{1}{2}$ to 2 ft. 40 3 00 | | | |
| | | | |
| " Tricolor, 3-in. pots 1 ft. 50 4 00 | | | |
| Fabiana—Imbricata, 5-inch pots 2 to 3 ft. 50 | | | |
| Ficus-Macrophylla (Rubber Tree), | | | |
| 8-inch pots 3 to 4 ft. 2 00 | | | |
| Filaria—Latifolia, balled 5 to 7 ft. 1 00 | | | |
| Garrya—Elliptica, 7-inch pots1½ to 2 ft. 1 00 | | | |
| Genista—Candicans, 3-inch pots 2 to 3 ft. 75 | | | |
| Guava —4-inch pots $1\frac{1}{2}$ to 2 ft. 50 4 00 | | | |
| Grevillea—Robusta, boxed 8 to 9 ft. 2 00 | | | |
| " 3-inch pots 1 to $1\frac{1}{2}$ ft. 35 2 50 | | | |
| Heath—Mediterranean, 4-inch pots. 10 to 12 in. 35 2 50 | | | |
| Holly—European, balled 3 to 4 ft. 2 50 | | | |
| " " $1\frac{1}{2}$ to 2 ft. 1 50 | | | |
| "Golden Queen, balled 2 ft. 3 00 | | | |
| " margined, " $1\frac{1}{2}$ to 2 ft. $\begin{vmatrix} 3 & 00 \end{vmatrix}$ | | | |
| " variegated, " 3 to 4 ft. 4 00 | | | |

| | | E | ach. | Per 10. | Per 100. | Per 1000. |
|-------------|---|----|---|--|---------------|------------------------|
| Holly- | -Golden, variegated, balled. 2 to 3 ft. | 3 | 0.0 | | | i |
| " | Hedgehog, balled $1\frac{1}{2}$ ft. | | | | | |
| 66 | Silver-margined, balled 3 to 4 ft. | | | ; | | 1 |
| 66 | " " 2 to 3 ft. | 3 | 00 | | | 1 |
| 66 | " variegated, " $1\frac{1}{2}$ ft. | 3 | 00 | | | |
| 66 | " tricolor, " 2 to 3 ft. | | 1 | | | |
| | er—Bermudiana, '' 4 to 5 ft. | 1 | 50 | The state of the s | | |
| 66 | " 3 ft. | 1 | 00 | | | |
| 6.6 | · · · · · · · · Zi Il. | 7 | 75 | | | |
| : 6 | 111811, 2 10 0 10. | | $\begin{array}{c} 00 \\ 75 \end{array}$ | | | |
| 6.6 | Japan, " 1 to 2 ft 3 to 4 ft. | | | | | |
| 66 | Japan Variegated, balled 2 to $2\frac{1}{2}$ ft. | | | - Committee of the Comm | | |
| çç | Japan Weeping, "5 to 6 ft. | 1 | 50 | | | |
| ٤ د | Prostrata, 6-inch pots 1 ft. | | 00 | | | |
| Laurel | English, balled 5 to 6 ft. | Į. | 00 | | | , |
| 6.6 | " 4 to 5 ft. | | 75 | | | , |
| 66 | Large-leaved, balled 6 to 7 ft. | 1 | 50 | | | |
| | \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots | 1. | | | | : |
| 64 | Portugal, " 2 to 3 ft. | | 75 | | | i |
| 6.6 | | | 50 | | | |
| 66 | Nobilis, (Sweet Bay,) | - | 00 | | | |
| \$ (| boxed10 to 12 ft. | 1 | 00 | | | er and manufacture and |
| 6.6 | baned 4 to o it. | | | | | |
| 66 | ranch pots, 12 to 2 tt. | | 50 | | | |
| | Cinnamonum, 6-inch pots. 3 ft. stinus—Balled 3 to 4 ft. | | 50 | 4 00 | | |
| Laures | | | 35 | 2 50 | 20 00 | |
| 44 | Transplanted in bx's 8 to 12 in. | | 50 | 1 00 | | i |
| 66 | | 1 | 75 | 1 00 | | |
| 66 | | | 1 | | | |
| | | 9 | | | | |
| Liboce | edrus—Decurrens (Yellow | | | | | 1 |
| | Cedar) boxed 7 to 9 ft. | | | | | |
| | " balled 6 to 7 ft. | 3 | | | | , |
| | " 1 to $1\frac{1}{2}$ ft. | 1 | 50 | | | 1 |
| | " 5-in. pots 1 to $1\frac{1}{2}$ ft. | | 50 | 4 00 | | |
| | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 1 | | 7 50 | | |
| Ligust | rum—Japonica, balled 6 to 8 ft. | | | 1 | | |
| 6.6 | 0 10 0 10. | | 75 | | 15.00 | |
| 6.6 | \dots $1\frac{1}{2}$ 10 2 11 . | | 25 | | 15 00 $20 00$ | 1 |
| 6.6 | 1-in. pous 2 to 22 it. | | 35 | 2 50 | 20 00 | |
| | Variegated balled 6 to 8 ft. | 1 | 50 | | | |
| 64 | | | | | | |
| 6.6 | | | 50 | | | |
| | Cilibration (Cilibration),, and to Olive | | 0 | | | |

| | | 77 | | D 100 | |
|---------|---|---|---|----------|-----------|
| | | Each. | Per 10. | Per 100. | Per 1000. |
| Loquat- | -Common, balled 5 to 6 ft. | 75 | 5 00 | | |
| 66 | " " " 4 to 5 ft. | 50 | 4 00 | | |
| 66 | " 5-inch pots 3 to 4 ft. | 50 | 4 00 | | |
| " " | 5-inch pots 2 to 3 ft. | 40 | 3 00 | | |
| 6.6 | Large fruited, balled 3 to 4 ft. | | 7 50 | | |
| " | " " " 2 to 3 ft. | 75 | 5 00 | | |
| | | $\begin{bmatrix} 1 & 50 \\ 2 & 0 \end{bmatrix}$ | | | |
| Magnoli | a—Grandiflora, boxed 7 to 9 ft | | 25 00 | | |
| 66 | baned o to 1 It. | | 25 00 | | |
| 66 | 5 to 0 1t. | | $ \begin{array}{ccc} 20 & 00 \\ 15 & 00 \end{array} $ | | |
| 6. | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | $\frac{13}{12} \frac{00}{00}$ | | |
| 6.6 | \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots \cdots | | 7 50 | | |
| 6 6 | " 5-inch pots 5 to 6 ft. | | 20 00 | | |
| 6 6 | " 5 " 4 to 5 ft. | | 15 00 | | |
| ٠. | " 5 " 3 to 4 ft. | | 12 00 | | |
| ٤, | " 5 " 2 to 3 ft. | | 7 50 | | |
| ć i | 4 6 3 to $3\frac{1}{2}$ ft. | | 10 00 | | |
| 66 | 4 " $2\frac{1}{2}$ to 3 ft. | | 8 00 | | |
| 6.6 | " 4 " $1\frac{1}{2}$ to 2 ft. | 75 | 6 00 | | |
| 66 | " Caniculata, | | | | |
| | boxed 5 to 6 ft. | | | | - |
| 66 | balled. 4 to 5 ft. | - (| | | |
| 66 | " 3 to 4 ft. 4 | | | | |
| 66 | " Crispa, boxed . 6 to 7 ft 8 | 8 00 | | | |
| •• | Double Plantais | - 00 | | | |
| 66 | balled 4 to 5 ft. 5 " 3 to 4 ft. 4 | | | | |
| 66 | " La Gallisonniere | t UU | | | |
| | balled 3 to 4 ft. | 1 00 | | | |
| 66 | " " 2 to 3 ft. | 1 | | | |
| | "Gloriosa, boxed 6 to 7 ft. 7 | | 1 | | |
| 66 | " " 5 to 6 ft. 6 | | | | |
| 66 | " balled 4 to 5 ft. 5 | 5 00 | | | |
| 66 | " " " 3 to 4 ft. 4 | | | | |
| 66 | "Oxoniensis, bxd. 7 to 8 ft. 8 | | | | , |
| 66 | " " 6 to 7 ft. 7 | | | | |
| 66 | " " 5 to 6 ft. 6 | | | | |
| " | " balled 4 to 5 ft. 5 | | | | |
| | " " " 3 to 4 ft. 4 | | | | |
| 66 | 2 00 0 10. | 1 | | | |
| 66 | " Hybrida " 4 to 5 ft. 6 | | | | |
| 66 | " Præcox du Grand | 00 | | | |
| | Jardin, boxed 5 to 6 ft. 8 | 3 00 | | | |
| 66 | " balled 4 to 5 ft. 5 | | | | |
| | Daneu 1 to 0 It. 10 | , 001 | | | |

| | Each. | Per 10. | Per 100. | Per 1000. |
|---|----------|---|----------|-----------|
| Magnolia-Grandiflora, | | | | 7 |
| " Prœcox du Mans | | | | |
| boxed 5 to 6 ft. | 8 00 | | | |
| " balled 4 to 5 ft. | 5 00 | | | |
| Mahonia—Aquifolia, balled 2 to 3 ft. | 75 | 5 00 | | |
| " 1 to 2 ft. | 50 | 4 00 | | |
| " Bealii, " 2 to 3 ft. | | | | |
| " Japonica, " 3 ft. | 1 | | | |
| Manzanita—4-inch pots | 1 00 | | | |
| Melaleuca—Styphilioides, 7-inch | | | | |
| pots 3 to 4 ft. | 75 | | | |
| Metrocideros—Semperflorens, | 75 | | | |
| 7-inch pots 3 to 4 ft. 5 1 to $1\frac{1}{2}$ ft. | 75 50 | | | |
| | 50 50 | | | |
| Myrtle—Common 7 " 2 to 3 ft. Microphylla, (small-leaved) | 50 | | | |
| 3-inch pots. 1 to $1\frac{1}{2}$ ft. | 50 | | | |
| Thymifolia, 7 " 2 ft. | 75 | | | |
| Variegated, 4 " $1\frac{1}{2}$ to 2 ft. | 75 | | | |
| Nandina—Domestica, balled $2\frac{1}{2}$ to 3 ft. | | | | |
| Oak—Cork, " 6 to 8 ft. | | 7 50 | | |
| " 4 to 6 ft. | 75 | 5 00 | | |
| " 3 to 4 ft. | 50 | 4 00 | | |
| 5-inch pots 2 to 3 ft. | 75 | | | |
| " 5 " $1\frac{1}{2}$ to 2 ft. | 50 | | | |
| Holly or Holm, 5 " $1\frac{1}{2}$ to 2 ft. | | | | |
| Olea—Fragrans, 4 " 1 ft. | 50 | | | |
| Oleander—Assorted, 5 and 6 in. pots 2 to 3 ft. | 50 | 4 00 | | |
| Variegated leaved, | | | | |
| 6-inch pots $1\frac{1}{2}$ to 2 ft. 5 | 75 | | | |
| | 50 | 0.50 | 20 00 | |
| Pepper— 5-inch pots 3 to 4 ft. 5 " 2 to 3 ft. | 35 30 | $ \begin{array}{ccc} 2 \cdot 50 \\ 2 \cdot 50 \end{array} $ | | |
| 5 " 2 to 3 ft. 5 " 1 to 2 ft. | 25 | 2 00 | | |
| Photinia—Serrulata, balled 6 to 7 ft. | 1 00 | 7 50 | 10 00 | |
| " " 5 to 6 ft. | 75 | 6 00 | | |
| Pine—Austrian, balled 5 to 6 ft. | 1 50 | 0 00 | | |
| " " 4 to 5 ft. | 1 00 | | | |
| α α α α α α α α α α | 75 | | | |
| "Benthamiana, " 5 to 6 ft. | 1 50 | | | |
| " 3 to 4 ft. | 1 00 | | | |
| "Canariensis, " 4 to 5 ft. | 1 00 | | | |
| " " 1 ft. | 50 | | | |
| " 5-inch pots 1 ft. | 75 | | | |
| " Densiflora, balled 3 to 4 ft. | | | | |
| " 2 to 3 ft. | 75 | | | |

| | | | Each. | Per 10. | Per 100. | Per 1000. |
|--------|--|-------|-------|---------|--|-----------|
| Pine- | -Densiflora, 5-inch pots 2 to 3 f | t. | 75 | | | |
| 66 | | t. 2 | | | | |
| 66 | Massoniana, boxed 6 to 8 f | | | | | |
| 46 | | t. | | | | |
| 66 | " " 2 to 3 f | | 75 | | | |
| 46 | " $1\frac{1}{2}$ to 2 f | t. | 50 | | | |
| 66 | " 5-inch pots $\overline{2}$ to 3 f | | 75 | | | |
| 46 | " 5 " $1\frac{1}{2}$ to 2 f | t. | 50 | | | |
| 46 | | t. 2 | 2 50 | | | |
| 6.6 | Monterey, Trans., balled 6 to 8 f | t. | 50 | 4 00 | 30 00 | |
| 44 | " " " 4 to 6 f | t. | 40 | 3 00 | 25 00 | |
| 44 | " " " … 3 to 4 f | t. | 35 | 2.50 | 20 00 | |
| 44 | " " " … 2 to 3 f | t. | 25 | 2 00 | 15 00 | |
| 6.6 | " 5-inch pots 2 to 3 f | t. | 35 | 2 50 | 20 00 | |
| 66 | | t. 2 | 2 50 | | | |
| 66 | Pinea, balled 1 f | t. | 50 | | | |
| 46 | " 5-inch pots 1 f | t. | 75 | | | |
| 66 | Ponderosa, balled 5 to 6 f | t.] | L 50 | | | |
| 6-6 | " 3 to 4 f | t. 1 | 00 | | of the Property of the Propert | |
| 44 | " $1\frac{1}{2}$ to 2 f | t. | 50 | | | |
| 46 | Sabiniana, " 1 f | t. | 50 | | | |
| 66 | " 5-inch pots 2 to 3 f | t. | 75 | | | |
| 66 | Torreyana. balled $1\frac{1}{2}$ to 2 f | t. | 75 | | | |
| 64 | | t. 1 | 50 | | j | |
| 66 | " 3 to 4 f | t. 1 | 00 | | | |
| 66 | " 5-inch pots 1 f | t. | 75 | | to the local section of the section | |
| 6.6 | White (Strobus), balled $1\frac{1}{2}$ to 2 f | t. | 75 | | | |
| 66 | " 5-in. pots, $1\frac{1}{2}$ to 2 f | t. | 75 | | | |
| Pittis | porum—Eugenoides, 5-inch | | | | the state of the s | |
| | pots 3 to 4 f | t. | 75 | | and the state of t | |
| 6 | Nigracans, balled 2 to 3 f | | 50 | | | |
| 6 | ' Tobira, balled 1 f | t. | 50 | | | |
| 6 | ' Variegated, | | | | | |
| | balled 2 to 3 f | | 00 | | | |
| 6 | ' Undulatum, balled 2 to 3 f | t. | 75 | | | |
| 6 | " 5-in. pots, 2 to $2\frac{1}{2}$ f | t. | 75 | | | |
| 6 | " 3 " $1\frac{1}{2}$ to 2 f | t. | 50 | | | |
| Podoo | carpus—Japonica (Japan | | | | | |
| | Yew) balled $\dots 2\frac{1}{2}$ to 3 f | | 2 00 | | | |
| Poinc | iana—Gilliesii, 3 in. pots 1 to $1\frac{1}{2}$ f | | 50 | | | |
| Polyg | ala—Dalmatiana, 5 in. pots . 3 f | t. | 50 | | | |
| Prive | t—Common 3 to 5 f | t. | | 1 50 | 12 00 | |
| " | " | 1 | | 1 00 | 8 00 | |
| 66 | California 6 to 8 f | t. | 50 | | | |
| 66 | " 2 to 3 f | | 25 | | | |
| 46 | Evergreen 2 to 3 f | t. | 25 | | | |

| | | Each. | Per 10. | Per 100. | Per 1000 |
|----------|--|--|---------|----------|----------|
| Privet— | Laurel-leaved 2 to 3 ft. | 25 | | | |
| 66 | Ovalifolium | 25 | | | |
| Raphiole | epsis—Ovata, 5-in. pots. $1\frac{1}{2}$ to 2 ft. | 50 | | | |
| _ | d—(Sequoia Sempervirens) | | | | 1 |
| | balled 6 to 8 ft. | 1 00 | 7 50 | | |
| 66 | " 5 to 6 ft. | 75 | | | |
| 66 | " 4 to 5 ft. | 60 | 1 | | |
| 66 | " 3 to 4 ft. | 50 | | | |
| 66 | "6-inch pots 2 to 3 ft. | 50 | | | |
| 66 | (Sequoia Sempervirens) | | | | |
| | glaucous-leaved, | | | | |
| | boxed 8 to 10 ft. | 4 00 | | | |
| 66 | (Sequoia Sempervirens) | | | | |
| | glaucous-leaved, | | | | |
| | 5-in. pots 1 ft. | 75 | | | |
| Rhodode | endron—California, balled 2 to 3 ft. | 1 50 | | | |
| 66 | grafted Varieties, | | | | |
| | balled 2 to $2\frac{1}{2}$ ft. | 2 50 | | | |
| 66 | grafted Varieties, | | | | |
| | balled $1\frac{1}{2}$ to 2 ft. | 2 00 | | | |
| 66 | Ponticum, balled 3 to 4 ft. | 3 00 | | | |
| 66 | " 2 to 3 ft. | | | | |
| 66 | " 1 to 2 ft. | 1 50 | | | |
| Serissa- | -Japonica, 5 in. pots 1 ft. | 75 | | | |
| Sciadop | itys Verticillata— | | | | 1 |
| | (Umbrella Pine) 8-in. pots 3 to 4 ft. | 2 50 | | | ł. |
| 66 | 7-in. pots 2 to 3 ft. | | | | |
| Spruce- | -Alcoquma, balled 6 to 9 in. | 75 | | | |
| 66 | Balsam, (Balsam Fir) | | | | |
| | balled $\dots 2\frac{1}{2}$ ft. | 1 | | | |
| " | Brachyphylla, balled 1 ft. | 1 | | | |
| 66 | Cephalonica, 5-in. pots 9 inches. | | | | 1 |
| 66 | Cœrulea, balled 2 ft. | | | | i |
| 66 | Concolor, balled 6 to 9 in. | 1 | | | 1 |
| 66 | " 5-inch pots 1 ft. | 1 | | Ì | 1 |
| 66 | Douglas, boxed 7 to 8 ft. | | 1 | | ; |
| 66 | " " 6 to 7 ft. | | | | |
| 66 | " balled 5 to 6 ft. | | | | |
| 6.6 | " 4 to 5 ft. | 1 | | | |
| 66 | " " 3 to 4 ft. | 1 | | | |
| 6.6 | " " 2 to 3 ft. | | | | |
| 66 | Firma, boxed 6 to 7 ft. | | 1 | | 1 |
| 66 | " balled 5 to 6 ft. | | 1 | | 1 |
| 66 | Grandis, balled 2 to $2\frac{1}{2}$ ft. | $\begin{vmatrix} 2 & 00 \\ 2 & 50 \end{vmatrix}$ | | | |
| " | " " $\frac{2\frac{1}{2}}{1}$ to 3 ft. | | | | 1 |
| 66 | Hemlock, balled $\dots 1\frac{1}{2}$ to 2 ft. | 11 50 | | | 3 |

| | Each. Per 10. | Per 100. | Per 1000 |
|------------|--|----------|----------|
| Spruce | -Menzies, balled 4 to 5 ft 3 00 | | |
| 66 | " " 3 to 4 ft. 2 50 | | |
| 66 | " " … 2 to 1 50 | | |
| 66 | " " $1\frac{1}{2}$ to 2 ft. 1 00 | | |
| 66 | Nigra Dommetti, balled. 2½ ft. 2 50 | | |
| 66 | Nobilis, " 2 ft. 2 50 | | |
| . " | " Glauca, " 1 ft. 2 50 | | |
| 46 | Nordman's Silver, " 1 ft. 1 00 | | |
| 66 | Norway, " 4 to 5 ft. 1 50 | | |
| 66 | " $1\frac{1}{2}$ to 2 ft. 75 | | |
| | " 1 to $1\frac{1}{2}$ ft. 50 | | |
| 66 | Pinsapo, " 2 to $2\frac{1}{2}$ ft. 2 50 | | |
| 66 | " 1 to $1\frac{1}{2}$ ft. $2 00$ | | |
| Stercul | ia—Plantanifolia, 3-in. pots 6 to 9 in. 50 | | |
| | sis—Dolobrata, Variegated, | | |
| Inajop | 5-inch pots $1\frac{1}{2}$ ft. 150 | | |
| Varoni | ca—Andersonii, 7-inch pots 2 to $2\frac{1}{2}$ ft. 50 | | |
| A GT OTITI | | | |
| 66 | Imperialis, 5-inch pots. 1 to 2 ft. 50 Variegated, balled 5 to 6 ft. 50 | | |
| 66 | " 7-inch pots 2 to $2\frac{1}{2}$ ft. 50 | | |
| | um—Odoratum Variegatum, | | |
| VIDUIII | | | |
| V | 8-inch pots 1 to $1\frac{1}{2}$ ft. 1 50 | | |
| I ew — | Dwarf Golden (Elegantissi- | | |
| 66 | ma), balled 3 to 4 ft. 4 00 | | |
| 66 | Dwarf, " | | |
| 66 | English (baccata) balled 5 to 6 ft. 2 00 15 00 | | |
| 66 | ± to 5 ft. 1 50 12 00 | | |
| 66 | 5 to 111. 11 00 1 50 | | |
| 66 | | | |
| ** | Erect English (baccata | | |
| (1 | erecta), balled 5 to 6 ft. 2 00 15 00 | | |
| 66 | Erect English (baccata | | |
| | erecta), balled 4 to 5 ft. 1 50 12 00 | | |
| 66 | Irish, balled 6 to 7 ft. 3 00 25 00 | | |
| 66 | " " 5 to 6 ft. 2 50 20 00 | | |
| " | " " 4 to 5 ft. 2 00 18 00 | | |
| 46 | " " 3 to 4 ft. 1 50 12 00 | | |
| • • • | " " 2 to 3 ft. 1 00 9 00 | | |
| 66 | Washingtonii, (Erect, Varie- | | |
| | gated), balled 3 ft. 2 50 | | |

Evergreen Hedge Plants.

| | Ea | ch. | Per 10. | Per 100. |
|-----------|--|-----|--|----------|
| Box Dwa | arf 4 to 6 in. | | 75 | 6 00 |
| 66 | Japan, broad-leaved 2 to 3 ft. | | 4 00 | 35 00 |
| 66 | Sempervirens (Tree Box) 1½ to 2 ft. | | 4 00 | 25 00 |
| Cypress- | -Monterey, Transplanted, balled. 4 ft. | | 2 50 | |
| 66 | 2 to 3 ft. | | 2 00 | 15 00 |
| 46 | " 1 to 2 ft. | | 1 50 | 12 00 |
| 66 | 5-inch pots 2 to 3 ft. | | 2 00 | 15 00 |
| " | "Transplanted in boxes 2 | | | 10 00 |
| ٠. | years, 12 to 15 in., per thousand, \$30.00. "Transplanted in boxes 1 year, 8 to 10 in., per | | | 4 00 |
| | thousand, \$20.00. | | | 3 00 |
| Laurestin | Transplanted in boxes 8 to 12 in. | | $\begin{array}{cccc} 2 & 50 \\ 1 & 00 \end{array}$ | |
| Ligustru | \mathbf{m} —(Japan Privet) 4-inch pots 2 to $2\frac{1}{2}$ ft. $1\frac{1}{2}$ to 2 ft. | | $\begin{array}{cccc} 2 & 50 \\ 1 & 50 \end{array}$ | |
| Privet— | Common | | 1 50 1 00 | 12 00 |

Decidaoas Flowering Shrabs.

| | Each. | Per 10. | Per 100 |
|---|-------|---------|---------|
| Althea—(Rose of Sharon) Double Flower- | | | |
| ing 3 to 5 ft. | 35 | 2 50 | |
| " Variegated-leaved 2 to 3 ft. | 40 | 3 00 | |
| Azalea—Pontica | | | |
| Berberry—Purple-leaved 2 to 3 ft. | 35 | 2 50 | |
| " Common 1 to 2 ft. | 25 | 2 00 | |
| Broom—Spanish, 5-inch pots | 50 | | |
| " White-flowering, 5-inch pots 2 to 3 ft. | 50 | | |
| Calycanthus—(Sweet Shrub) $\dots 1\frac{1}{2}$ to 2 ft. | 35 | 2 50 | |
| " Præcox 3 to 4 ft. | 50 | | |
| Caragana—Arborescens 6 to 8 ft. | 1 00 | | |
| " " 4 to 6 ft. | 75 | 1 | |
| Chamæcerasus—Alberti | 35 | 2 50 | |
| Cherry—Japan Double-flowering 2 to 3 ft. | 50 | | |
| Corchorus—Japan 3 to 4 ft. | 50 | 4 00 | |
| " Silver-Variegated 2 to 3 ft. | 50 | 4 00 | |

| Crape Myrtle—Bodie's Light Purple 2 to 3 ft. 75 " Purple 2 to 3 ft. 75 " Scarlet 3 to 4 ft. 75 " Crimson 2 to 3 ft. 75 " Purple 2 to 3 ft. 75 " Regia 1½ to 2 ft. 75 " Regia 1½ to 2 ft. 75 " Rose or Pink 3 to 5 ft. 75 4 00 " White 2 to 3 ft. 50 " White 2 to 3 ft. 50 " Double Rose 4 to 5 ft. 50 Currant—Crimson-flowering 3 to 4 ft. 50 Deutzia 2 to 3 ft. 35 2 50 Crenata, Crenata Candidissima, Flora Plena, Fortunii, and Scabra 50 50 50 50 Obgwood—Sanguinea (Red-twigged) 2 to 3 ft. 35 2 50 50 50 50 50 50 50 50 50 50 50 60 60 8 ft. 35 2 50 50 60 60 8 ft. 35 2 50 | | | Each | Per 10. | Per 100. |
|---|--------------|---|---------|--------------------|--|
| " " Purple | Crape Myrtle | Bodie's Light Purple 2 to 3 f | t. 78 | 5 | |
| " Crimson 2 to 3 ft. 75 " Purple 2 to 3 ft. 75 " Regia 1½ to 2 ft. 75 " Rose or Pink 3 to 5 ft. 75 " Rose or Pink 3 to 5 ft. 75 " White 2 to 3 ft. 75 " White 2 to 3 ft. 75 " Double Rose 4 to 5 ft. 50 Currant—Crimson-flowering 3 to 4 ft. 50 " Double Rose 4 to 5 ft. 50 Deutzia— 2 to 3 ft. 50 Crenata, Crenata Candidissima, Flora Plena, Fortunii, and Scabra " Gracilis 1½ to 2 ft. 35 2 50 Crenata, Crenata Candidissima, Flora Plena, Fortunii, and Scabra " Gracilis 1½ to 2 ft. 35 2 50 Dogwood—Sanguinea (Red-twigged) 2 to 3 ft. 35 2 50 Elder—Cut-leaved 6 to 8 ft. 35 2 50 Elder—Cut-leaved 3 to 4 ft. 1 00 Elder—Cut-leaved 3 to 4 ft. 1 00 Elvenymus—(Coral Plant) 3 to 4 ft. 1 00 Euonymus—(Spindle Tree) 3 to 4 ft. 50 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 75 Fribert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 5 ft. 75 Fribert—Purple-leaved 5 to 5 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to 6 ft. 75 Fribert—Purple-leaved 5 to | _ | | 1 | 5 | |
| " Purple | 66 | | t. 78 | 5 | |
| " Regia | 66 | | t. 73 | 5 | |
| " Regia | 66 | Purple 2 to 3 f | t. 78 | | |
| " Rose or Pink | 66 | | t. 78 | 5 | |
| " White 2 to 3 ft. 1 00 " Double Rose 3 to 4 ft. 50 " Double Rose 4 to 5 ft. 50 Deutzia 2 to 3 ft. 35 2 50 Crenata, Crenata Candidissima, Flora Plena, Fortunii, and Scabra 6 to 2 ft. 35 2 50 " Gracilis 1½ to 2 ft. 35 2 50 Dogwood—Sanguinea (Red-twigged) 2 to 3 ft. 35 2 50 " Spathii (Golden-variegated) 1 ft. 1 00 " Spathii (Golden-variegated) 1 ft. 1 00 " Golden-leaved 3 to 4 ft. 35 2 50 " Golden-leaved 3 to 4 ft. 35 2 50 " Variegated-leaved 2 to 3 ft. 35 2 50 Erythrina—(Coral Plant) 3 to 4 ft. 35 2 50 Exochordia—Grandiflora 5 to 6 ft. 75 Exochordia—Grandiflora 5 to 6 ft. 75 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 | " | Rose or Pink 3 to 5 f | t. 78 | 5 00 | |
| " White 2 to 3 ft. 1 00 " Double Rose 3 to 4 ft. 50 " Double Rose 4 to 5 ft. 50 Deutzia 2 to 3 ft. 35 2 50 Crenata, Crenata Candidissima, Flora Plena, Fortunii, and Scabra 6 to 2 ft. 35 2 50 " Gracilis 1½ to 2 ft. 35 2 50 Dogwood—Sanguinea (Red-twigged) 2 to 3 ft. 35 2 50 " Spathii (Golden-variegated) 1 ft. 1 00 " Spathii (Golden-variegated) 1 ft. 1 00 " Golden-leaved 3 to 4 ft. 35 2 50 " Golden-leaved 3 to 4 ft. 35 2 50 " Variegated-leaved 2 to 3 ft. 35 2 50 Erythrina—(Coral Plant) 3 to 4 ft. 35 2 50 Exochordia—Grandiflora 5 to 6 ft. 75 Exochordia—Grandiflora 5 to 6 ft. 75 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 | 6.6 | " " … 2 to 3 f | t. 50 | 4 00 | |
| " Double Rose 4 to 5 ft. 50 50 Deutzia— | | | t. 1 00 |) | |
| " Double Rose 4 to 5 ft. 50 50 Deutzia— | Currant—Crim | son-flowering 3 to 4 f | t. 50 |) | |
| Crenata, Crenata Candidissima, Flora Plena, Fortunii, and Scabra "Gracilis | " Doub | ole Rose 4 to 5 to | t. 50 |) | |
| Flora Plena, Fortunii, and Scabra "Gracilis | Deutzia | 2 to 3 | t. 3 | $5 \mid 2 \mid 50$ | All Control of the Co |
| " Gracilis 1½ to 2 ft. 35 2 50 Dogwood—Sanguinea (Red-twigged) 2 to 3 ft. 35 2 50 " Spathii (Golden-variegated) 1 ft. 1 00 1 ft. 1 00 " Golden-leaved 6 to 8 ft. 35 2 50 " Golden-leaved 3 to 4 ft. 1 00 3 ft. 35 2 50 " Variegated-leaved 2 to 3 ft. 35 2 50 Erythrina—(Coral Plant) 3 to 4 ft. 35 2 50 Exochordia—Grandiflora 5 to 6 ft. 75 Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. 50 pots 12 to 2 ft. 75 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Ver | Cren | ata, Crenata Candidissima, | | | |
| Dogwood—Sanguinea (Red-twigged) | | | | : | |
| ## Spathii (Golden-variegated) | " Grad | filis $1\frac{1}{2}$ to 2 | - 1 | | 3 |
| ## Spathii (Golden-variegated) | | | | | |
| " Golden-leaved 3 to 4 ft. 1 00 " Variegated-leaved 2 to 3 ft. 35 2 50 Erythrina—(Coral Plant) 3 to 4 ft. 1 00 Euonymus—(Spindle Tree) 3 to 4 ft. 35 2 50 Exochordia—Grandiflora 5 to 6 ft. 75 Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora 1 to 1½ ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. pots 1 ½ to 2 ft. 75 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena— 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 " " 3 to 4 ft. 4 to 5 ft. 50 " " 3 to 4 ft. 50 50 | " Spa | | | 1 | |
| " Variegated-leaved 2 to 3 ft. 35 2 50 Erythrina—(Coral Plant) 3 to 4 ft. 1 00 Euonymus—(Spindle Tree) 3 to 4 ft. 35 2 50 Exochordia—Grandiflora 5 to 6 ft. 75 Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora 2 to 3 ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. pots 1 to 1½ ft. 50 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 " " 3 to 4 ft. 40 3 50 " Josikea 3 to 4 ft. 50 | | | | | |
| Erythrina—(Coral Plant) | | | | 1 | |
| Euonymus—(Spindle Tree) 3 to 4 ft. 35 2 50 Exochordia—Grandiflora 5 to 6 ft. 75 Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora 1 to 1½ ft. 50 "Paniculata Grandiflora 2 to 3 ft. 50 "Ramulis Coccinea (New) 5 in. pots 1½ to 2 ft. 75 "Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 """ 3 to 4 ft. 40 3 50 """ 3 to 4 ft. 50 | | | | | |
| Exochordia—Grandiflora 5 to 6 ft. 75 Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora 1 to 1½ ft. 50 "Paniculata Grandiflora 2 to 3 ft. 50 "Ramulis Coccinea (New) 5 in. pots. 1½ to 2 ft. 75 "Thos. Hogg, 3-inch pots. 10 to 12 in. 50 Lemon Verbena— 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 "Josikea 3 to 4 ft. 40 3 50 | | | | - | |
| Filbert—Purple-leaved 3 to 4 ft. 50 Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. 50 pots 1½ to 2 ft. 75 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena 3 to 5 ft. 35 2 50 Lilae—Chas. X 4 to 5 ft. 50 4 00 " " 3 to 4 ft. 40 3 50 " Josikea 3 to 4 ft. 50 | | | ~ - | | |
| Forsythia—Fortunei, Suspensa and Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. pots 1½ to 2 ft. 75 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena— 3 to 5 ft. 35 2 50 Lilae—Chas. X 4 to 5 ft. 50 4 00 " 3 to 4 ft. 40 3 50 " 3 to 4 ft. 50 | | | | | |
| Viridissima 4 to 5 ft. 35 2 50 Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 "Paniculata Grandiflora 2 to 3 ft. 50 "Ramulis Coccinea (New) 5 in. pots 1½ to 2 ft. 75 "Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena— 3 to 5 ft. 35 2 50 Lilae—Chas. X 4 to 5 ft. 50 4 00 "" 3 to 4 ft. 40 3 50 "Josikea 3 to 4 ft. 50 | | | t. 5 |) | |
| Honeysuckle—Upright 3 to 5 ft. 35 2 50 Tartarian, Tartarian White and Grandiflora Hydrangea—Hortensis, 5-inch pots 1 to 1½ ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. pots 1½ to 2 ft. 75 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena— 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 " 3 to 4 ft. 40 3 50 " Josikea 3 to 4 ft. 40 3 50 | | | 2. 0 | 2 50 | |
| Tartarian, Tartarian White and Grandiflora Hydrangea—Hortensis, 5-inch pots | | | 1 | | 1. |
| and Grandiflora Hydrangea — Hortensis, 5-inch pots. 1 to 1½ ft. 50 " Paniculata Grandiflora. 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. pots. 1½ to 2 ft. 75 " Thos. Hogg, 3-inch pots. 10 to 12 in. 50 Lemon Verbena 3 to 5 ft. 35 2 50 Lilae—Chas. X 4 to 5 ft. 50 4 00 " " 3 to 4 ft. 40 3 50 " Josikea 3 to 4 ft. 50 | Honeysuckle- | | t. ರ | 2 50 | |
| Hydrangea — Hortensis, 5-inch pots 1 to 1½ ft. 50 " Paniculata Grandiflora 2 to 3 ft. 50 " Ramulis Coccinea (New) 5 in. pots 1½ to 2 ft. 75 " Thos. Hogg, 3-inch pots 10 to 12 in. 50 Lemon Verbena 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 " " 3 to 4 ft. 40 3 50 " Josikea 3 to 4 ft. 50 | | | | | |
| " Paniculata Grandiflora 2 to 3 ft 50 " Ramulis Coccinea (New) 5 in. 75 pots 1½ to 2 ft 75 " Thos. Hogg, 3-inch pots 10 to 12 in 50 Lemon Verbena 3 to 5 ft 35 2 50 Lilac Chas. X 4 to 5 ft 50 4 00 " " 3 to 4 ft 40 3 50 " Josikea 3 to 4 ft 50 | 77 June 11 | | . = | | |
| " Ramulis Coccinea (New) 5 in. pots. $1\frac{1}{2}$ to 2 ft. 75 " Thos. Hogg, 3-inch pots. 10 to 12 in. 50 Lemon Verbena 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 " " 3 to 4 ft. 40 3 50 " Josikea 3 to 4 ft. 50 | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | t. 5 | U | |
| "Thos. Hogg, 3-inch pots 10 to 12 in 50 Lemon Verbena 3 to 5 ft 35 2 50 Lilac—Chas. X 4 to 5 ft 50 4 00 ""Josikea 3 to 4 ft 40 3 50 "Josikea 3 to 4 ft 50 | 1 | | + 7 | 5 | |
| Lemon Verbena— 3 to 5 ft. 35 2 50 Lilac—Chas. X 4 to 5 ft. 50 4 00 3 to 4 ft. 40 3 50 Josikea 3 to 4 ft. 50 | (C /T | | | 1 | |
| Lilac—Chas. X 4 to 5 ft. 50 4 00 3 50 50 4 00 3 50 50 4 ft. 40 3 50 | | 2 2 | | | |
| " Josikea 3 to 4 ft. 40 3 50 3 to 4 ft. 50 | | | | | į. |
| " Josikea 3 to 4 ft. 50 | | | - | | |
| | | | | [| |
| | | | | i | |
| " Cut-leaved 2 to 3 ft. 50 | | | - | | |
| " Purple 4 to 6 ft. 50 4 00 | | | 1 | | |
| " to 4 ft. 40 3 50 | _ | | | | 1. |
| "Rothomagensis 3 to 4 ft. 50 | " Rothon | • | - | 1 | |
| "Rubra de Marley | | | | | |
| " Sanguinea 3 to 4 ft. 50 4 00 | | | - | 1 | 1 |
| " White | | | | | F |

| | Each. | Per 10. | Per 100. |
|--|----------|-----------------------------|----------|
| Lilac—White | 1 | 3 50 | |
| A fleur d'Oranger, Alba Grandiflora, Bertha Damani, Compte de Paris, Japonica, Lemoinei fl. pl., Mathieu de Dombasle, Michel Buchner, Renuncule, Rubella fl. pl., Virginal Wock Orange—(Philadelphus) Coronarius, Flore Plena Alba and | | | |
| Grandiflorus 2 to 3 ft. | 35 | 2 50 | |
| " Golden-leaved 2 to 3 ft. | 50 | | |
| Plum—Double-flowering (Triloba) 3 to 4 ft. Pomegranate—Double Red, Double White, | 50 | | |
| and Madame Legrelle 3 to 4 ft. " Dwarf Scarlet and James | 35 | 2 50 | |
| Vick 2 to 3 ft. | 35 | 2 50 | |
| Purple Fringe—(Mist Tree, Smoke Tree) 2 to 3 ft. | 50 | 2 50 | |
| Quince—Japan Scarlet | 35 | $\frac{2}{2} \frac{50}{50}$ | |
| " White | 35 50 | 2 50 | |
| Snowball— 3 to 5 ft. | 50 | 4 00 | |
| Spirea— 3 to 4 ft. | 35 | 2 50 | |
| Billardii, Callosa, Lanceolata, Reevesii Flora Plena, Prunifolia, fl. pl., (Bridal Wreath,) Semperflorens, Thunbergii, Van Houtii. | | | |
| " Collosa Alba 2 to 3 ft. | 35 | 2 50 | |
| Sumach—Cut-leaved | 35 50 | 2 50 | |
| \$2.50, and \$3.00 each. | 4 0.0 | | |
| Viburnum Plicatum—(Japan Snow Ball) 2 to 3 ft. | | 9.50 | |
| Weigelia — | 35 | 2 50 | |
| "Alba and Candida 1 to $1\frac{1}{2}$ ft. | 35 | 2 50 | |
| " Variegated-leaved 2 to 3 ft. | 50 | 4 00 | |

Climbing and Trailing Plants.

| | | | | Each. | Per 10. | Per 100. |
|--------------------------------|------------|------|--------------------|-------|---------|----------|
| Akebia—Quinata | | 2 to | 3 ft. | 50 | | |
| Ampelopsis—Veitchii (Japan Iv | | | | 5 | | |
| " Quinquefolia (Virg | | 5 10 | T 11. | | | |
| Creeper) | | | ft. | 25 | | |
| " Variegated, 5-inch | note | | 1 ft. | 50 | | |
| Bignonia—Venusta | | | 3 ft. | 75 | | |
| Clematis—Baronne de Verdier, 5 | | 2.10 | | | | |
| " Duchess of Edinburgh | | | | | | |
| " Etoile Violet, | 5 " | 2 to | 3 ft. | | | |
| " Flamula, | 5 " | 2 to | 3 ft. | 35 | | |
| " Gypsy Queen, | 5 " | 2 to | | 75 | | |
| " Hendersonii, | 5 " | 2 to | 1 | | | |
| " Henryii, | 5 " | 2 to | | 75 | | |
| " Jackmanii, | 5 " | 2 to | 3 ft. | 75 | | |
| " Jackmanii Alba, | 5 " | 2 to | 3 ft. | 1 | | |
| " Jeanne d'Arc, | 5 " 5 " | 2 to | 3 ft. | , | | |
| " Kermesina, | 5 " | 2 to | 3 ft. | 75 | | |
| " Lawsoniana, | 5 " | 2 to | 3 ft. | 75 | | |
| " Lord Mayo, | 5 " | 2 to | 3 ft. | 75 | | |
| " Lucie Lemoine, | 5 " | 2 to | 3 ft. | | | |
| " Madam Froebel, | 5 . " | 2 to | 3 ft. | | | |
| " Madam Granger, | 5 " | 2 to | 3 ft. | 75 | | |
| " Marie Boisselot, | 5 " | 2 to | 3 ft. | | | |
| " Miss Bateman, | 5 " | 2 to | 3 ft. | | | |
| " Montana, | 5 " | 2 to | 3 ft. | 35 | | |
| " Mrs. S. C. Baker, | 5 " | 2 to | 3 ft. | 75 | | |
| " Prince of Wales, | 5 " | 2 to | 3 ft. | 75 | | |
| " Sou. John G. Veitch, | 5 " | 2 to | 3 ft. | | | |
| " Standishii, | 5 " | | 3 ft. | 75 | | |
| " Star of India, | 5 " | | 3 ft. | 75 | | |
| " Viticella, | 5 " | | 3 ft. | 35 | | |
| " William Kennett, | 5 " | | 3 ft. | 75 | | |
| Clianthus Punicius— | 3 " | | $1\frac{1}{2}$ ft. | 50 | | |
| Dutchman's Pipe— | Ü | | | | | |
| Aristolochia | 5 " | | 3 ft. | 50 | | |
| | | 2 to | 4 ft. | 25 | 2 00 | |
| Aurea Reticulata | | | | | | |
| Fuschoides, Mo | | | | | | |
| grant, Semper | | | | | | |
| nensis, Verna a | | | | | | |
| Hoya—Carnosa (Wax Plant), 4-in | | 2 to | 3 ft. | 50 | | |
| Ivy—Giant, 4-inch pots | | | 2 ft. | 50 | | |

| | | Each. | Per 10. | Per 100. |
|--|------------------|---|---------|----------|
| Ivy—Irish, 4-inch pots | 2 ft | 50 | | |
| " Variegated, 4-inch pots | $\frac{1}{2}$ ft | | | |
| Jasmine—Catalonian, 5-inch pots 2 to | 3 ft | 1 | | |
| " Nudiflorum | 2 ft | | 1 | |
| " Officionale | 2 ft | | | |
| Kadzura—Japonica | | 1 00 | | |
| " Variegata | | 1 00 | | |
| Mandevillea—Sauveolens (Chile Jasmine), | | | | |
| 4-inch pots | 4 ft | . 50 | | |
| Passion Vine—Cœrulea (Blue), 4-in. pots. | 3 ft | ., 50 | | |
| " Colvillei, 4-inch pots | 3 ft | . 50 | | |
| " Constance Elliott (Hardy | | | | |
| white), 4-inch pots | | 50 | | |
| " "Florabunda | 3 ft | 1 | | |
| " Grenadillo | 3 ft | | | |
| " Racemosa | 3 ft | | | |
| " " Scarlet (Tacsonia) | 3 ft | . 75 | | |
| Phaseolus—Caracalla (Snail Vine), 5-inch | | | | |
| pots | 0.0 | 75 | | |
| Silk Vine—Periploca | 3 ft | 1 | | |
| Smilax—4-inch pots $1\frac{1}{2}$ to | 2 ft | | | } |
| Sollya—Heterophylla, 3-inch pots $1\frac{1}{2}$ to | | | | |
| Tasconia—Buchanii, 3-inch pots | 3 ft | | | |
| Tecoma—Jasminoides, 4-inch pots | 3 ft | | 2 00 | |
| Trumpet Vine—(Bignonia) 2 to | 3 ft | . 25 | 2 00 | |
| Vinca (Periwinkle)—Green and Variegated | 11 0 | 0.5 | 2 00 | |
| 4-inch pots | | . 25 | 2 00 | |
| Virginia Creeper—See Ampelopsis. | | 7 = | | |
| Wisteria—Chinese White, 2 years | | 75 | | |
| Turple, 2 years | | 50 | | |
| Double I diple, 2 years. | | $\begin{array}{ c c }\hline 75\\50 \end{array}$ | | |
| " Magnifica, 2 years | | , 50 | 1 | i |

Palms, Dracænas, Agaves, Yuccas, Etc.

While nearly our entire stock of these highly desirable garden ornaments is grown in the open ground, thereby producing strong, stocky, handsome plants, we also cultivate more or less of each variety in pots or boxes. These are well established, well furnished specimens, suitable for hall or house decorations; or, where immediate effect is desired out of doors, they can be used to great advantage, being almost absolutely safe from any set-back.

| | | | | | | Each. | Per l | 0. | Per 100. |
|---------------------------------------|--------------|-------------|---------|-------------------|--------------------|-------|-------|----------|----------|
| Brahea—Edu | llis, balled | 1 | | - | 1½ ft. | 5 00 | | | |
| 66 (6 | | | | | | 10 00 | | | |
| Chamærops- | | | | | | | | | |
| " | " | | | 6 to | 7 ft. | 6 00 | | | |
| " | " | | | 5 to | | 5 00 | | | |
| 46 | " | " | | 4 to | 5 ft. | 1 | 30 | 00 | |
| " | " | 66 | | 3 to | 4 ft. | | | 00 | |
| 66 | " | " | | | 3 ft. | | | 00 | |
| 66 | " | " | | 2 to 2 | | | | 00 | |
| 66 | " | " | | | $\bar{2}$ ft. | 1 1 | | 50^{1} | |
| 66 | " | | ch box | - | | 10 00 | | † | |
| 66 | " | 20x20 | " | | | 8 00 | | | |
| 66 | " | 18x18 | | | 5 ft. | 6 00 | | | |
| 66 | " | 14x14 | " | | 4 ft. | | | | |
| " | . " | 10x10 | " | • | 3 ft. | | 15 | 00 | |
| · · · · · · · · · · · · · · · · · · · | " | 10x10 | " | | 2 ft. | | 10 | 00 | |
| " | " | 7-inch po | ts | 3 to 3 | 8½ ft. | 2 00 | 15 | 00 | |
| " | " | 7 " | | | | | 10 | 00 | |
| " | 66 | 6 " | | | | | | 00 | |
| " | " | 6 " | | | | | 6 | 00 | |
| " | Fortune | i, 5 inch p | ots | | 1 ft. | | | | |
| | | | | | 3 ft. | 5 00 | | | |
| " | " | | | | | | | | |
| " | 66 | | eh box | | $2\frac{1}{2}$ ft. | | | | |
| " | Nepalen | sis, balled | | 3 to 3 | $\frac{1}{2}$ ft. | 3 00 | | | |
| " | • " | | | $2\frac{1}{2}$ to | 3 ft. | 2 50 | 20 | 00 | |
| " | " | " | | 2 to 2 | $2\frac{1}{2}$ ft. | 2 00 | 15 | 00^{1} | |
| " | " | " | | $1\frac{1}{2}$ to | $\tilde{2}$ ft. | 1 50 | 12 | 00 | |
| " | " | | | | | 1 | 7 | 50 | |
| " | 66 | | nch box | | 4 ft. | 6 00 | | | |
| " | . " | 10x12 | | | 3 ft. | 3 00 | | | |
| 66 | " | | ce 66 | 2 | $2\frac{1}{2}$ ft. | 2 50 | | | |
| " | " | 7 | " pots] | $\frac{1}{2}$ to | $\tilde{2}$ ft. | 2 00 | | | |
| " | 66 | 6 | | 1 to 1 | $\frac{1}{2}$ ft. | 1 50 | | | |

| | | Each. | Per 10. | Per 100. |
|----------|---|----------|---|----------|
| Cocos A | ustralis—Balled 1 to $1\frac{1}{2}$ f | t 5 0 | | |
| | evoluta—12 to 16 leaves 8 to $1\overline{0}$ is | | | |
| " | " 8 to 12 " 8 to 10 is | | | |
| 66 | " 12 to 16 " 6 to 8 i | | | |
| 66 | " 8 to 12 " 6 to 8 ii | | | |
| 66 | " 6 to 8 " 4 to 6 in | | | |
| Erythea- | —Edulis (Guadalupe Island Palm) | | | |
| _ | just boxed 5 to 6 f | t. 7 50 | - | |
| 6 6 | " " " 4 to 5 f | | | |
| 6.6 | | t. 10 00 | | |
| 66 | | t. 8 00 | | |
| " | | t. 6 00 | | |
| " | " 6 " pots $2\frac{1}{2}$ to 3 f | | | |
| 66 | $Z_{\frac{1}{2}}$ | | | |
| 66 | \cdots | | | |
| | Armata (Blue Palm) balled 1 to $1\frac{1}{2}$ f | | i | |
| Phonix- | -Canariensis (Date Palm) balled 5 to 6 f | | 20.00 | 1 |
| 6.6 | " " 4 to 5 i | | | |
| 66 | " " 2 to 3 f | | | |
| 64 | | t. 6 00 | 20 00 | |
| 66 | | t. 5 00 | | |
| 66 | | t. 4 00 | | |
| 66 | | t. 3 00 | | |
| 66 | " 6 " pots $2\frac{1}{2}$ to 3 f | t. 2 50 | | |
| 66 | " 6 " $\frac{1}{2}$ to $2\frac{1}{2}$ f | | | |
| 4 b | Dactylifera (Fruit-bearing Date) | | | |
| | balled 5 to 6 f | | | |
| 6.6 | • | t. 5 00 | | |
| 6.6 | " " 2 to 3 f | 1 | | |
| 4.6 | | t. 4 00 | 20 00 | |
| 44 | " (Alexandria Date) balled 2½ to 3 f | | | |
| 4. | $4 t0 4\overline{2} 1$ | | | |
| 6.5 | " 6-in. pots $1\frac{1}{2}$ to 2 f " 6 " 1 to $1\frac{1}{2}$ f | | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | · |
| 44 | Sahariensis picta nigra, just boxed 5 to 6 | | 1 50 | |
| 66 | | t. 6 00 | | |
| 66 | | t. 8 00 | | |
| 46 | | t. 6 00 | | |
| 6.6 | | t. 10 00 | | |
| 6.6 | | t. 8 00 | | |
| 4.6 | | t. 7 50 | | |
| & b | " 14x14 " 6 f | t. 7 00 | | |
| 4.4 | | t. 6 00 | B | |
| à í | | t. 5 00 | | |
| 4 6 | " 6-inch pots $2\frac{1}{2}$ to 3 f | t.'2 50 | | |
| | | | | |

| | | | Each. | Per 10. | Per 10 |
|--------|--------------------------------------|--------------------|--|-------------------------------|--------|
| ritch | ardia—Filifera (California Fan Palm) | | | | |
| | balled 5 to | 6 ft | 5 00 | | |
| " | " " 4 to | | | 25 00 | |
| " | " " 3 to | | 1 | 18 00 | |
| 66 | " " 2 to | | | $\frac{10}{12} \frac{00}{00}$ | |
| " | " 20x20 inch box | | 8 00 | 12 00 | |
| 66 | " 14x14- " | | 5 00 | | |
| " | | | | | |
| " | | | 3 00 | | |
| " | 12312 | | 1 1 | 4 00 | |
| | 4-men pots10 to | | | 4 00 | |
| * " | HIST DOXEG | 8 ft. | $\begin{vmatrix} 6 & 00 \\ 3 & 5 \end{vmatrix}$ | | |
| abal— | -Blackburiana, balled | 2 ft. | $\begin{vmatrix} 2 & 50 \end{vmatrix}$ | | |
| " | Ghiesbrighti, balle | $1\frac{1}{2}$ ft. | 2 50 | | |
| 66 | Mexican, balled | 2 ft. | $ 3 \ 00 $ | | |
| " | Palmetto, balled to | $1\frac{1}{2}$ ft. | 3 00 | | |
| eafort | thea—Elegans, 12x12 inch box | 4 ft. | 3 00 | | |
| " | " $12x12$ inch box | | 2 50 | | |
| | | | | | |
| | DDAOENAR | | | | |
| | DRACÆNAS. | | | | |
| *0.000 | Stricts (Australia) halled 7 | 0 0 | 5 00 | | |
| racæi | na—Stricta (Australis), balled 7 to | | | 20.00 | |
| " | 0 10 | | | 30 00 | |
| " | 0 10 | | | 25 00 | |
| | | | 2 50 | 20 00 | |
| " | " " " 3 to | | 1 50 | 12 00 | |
| " | | 3 ft. | $ 1 \ 00 $ | 7 50 | |
| " | " 12 ft. high. Established | | | | |
| | in 18x24 inch boxes. | | 10 00 | | |
| " | " just boxed, in 18x24 | | | | |
| | inch boxes | | 8 00 | | |
| " | " 8 to 12 feet. Price, ac- | | | | |
| | cording to size, \$6 to | | | | |
| | \$10 each. | | 1 | | |
| " | | 11 ft | 1 50 | | |
| " | | | $\begin{vmatrix} 1 & 50 \\ 2 & 50 \end{vmatrix}$ | | |
| " | Fosterii, balled 3 to | | | | |
| ., | " " 2 to | o it. | 1 50 | | |
| | | | | | |
| | AGAVES. | | | | |
| gave | — Americana (Common Century | | | | |
| | Plant), 5-inch pots | 1 ft. | 50 | | , |
| " | Variegata (Variegated Century | | | | |
| | Plant), balled | 1 ft. | 50 | | |
| " | Lecheguella, balled | 8 in. | | | |
| " | Shawii, balled | 8 in. | 1 | | |
| " | Virginica, balled | | 1 | | |
| | virginica, baned | 8 in. | 75 | | |

| | Each. | Per 10. | Per 100. |
|--|--|---------|----------|
| Yucca—Aloefolia, variegata, balled | 1 50 4 00 3 00 50 1 50 50 50 | | * |
| DASYLIRIONS. Dasylirions—Longifolium, balled 2 ft. Serratifolium " 2 ft. Wheelerii " 1½ ft. PANDANUS. Pandanus—Utilis (Screw Pine) 8-inch pots 1½ ft. | 1 50 1 50 | | |



Having determined to keep fully up with the times in the propagation of this beautiful flower, we have greatly enlarged our facilities to supply the ever-increasing demand, and can now offer a collection such as cannot be found elsewhere on the coast, and in but few other establishments on the continent. The plants offered are strong and vigorous, have been grown entirely in the open ground, and consequently will not require the careful nursing necessary to those propagated under glass in three months' time and sold at low rates. They cannot fail to give entire satisfaction the first summer after planting. From November to March they can be shipped in a dormant state packed in moss. Varieties marked with a (*) can be had budded in tree form, (usually called standards,) on a single stem three to four feet high. In conclusion, we would advise our customers to have their orders forwarded by express or freight, whenever possible, as we can then send much better and larger plants than if sent by mail.

New Roses.

Although the offerings in the way of "New Roses" for the past year have been as numerous as ever, none, however, beyond the following four have reached sufficient prominence, or possess entirely the necessary qualifications, to warrant further propagation. We can confidently recommend those quoted.

Price, 50 cents each; the four varieties, one of each, \$1.50. Plants, 9 to 12 inches high.

Bridesmaid—A new Tea Rose of American origin, clear bright pink; a lovely color; identical with its parent, Catharine Mermet, excepting as regards color.

Kaiserina Augusta Victoria—Hybrid Tea. A German variety, and one of great interest to the rose grower; color, pure ivory white; a large, full flower, magnificent in bud; stems long, and bearing large, strong canes, with handsome foliage. We believe this rose to be a valuable addition to our collection.

Madam A. Veysset—Hybrid Tea. "Striped La France." A magnificent new rose, identical in every respect with its parent La France, except it is much stronger in growth, and the flowers are beautifully striped and shaded with a delicate white. The coloring is exquisite, and we think this rose will please cut flower buyers. It forces freely, and produces magnifi-

cent large buds and flowers.

Madam Caroline Testout—Hybrid Tea. One of the introductions of '91. A really grand rose, of the La France type, but larger and of better color; the best Hybrid Tea up to date. It is clear pink; there is nothing in the rose line that can approach it in color; the flower is as large as Baroness Rothschild, and as free as La France. It will make a sensation in the cut-flower market, when brought in in good shape.

Roses of 1892.

Price, 35 cents each; \$3 per 10; \$25 per 100. Standards, \$1.50 each.

TEA OR EVER-BLOOMING.

Adele de Bellabre Lady Castlereagh Mons. Desir Capitaine Lefort Mad. Andre Duron Mrs. James Wilson *Charles de Thezillat *Mad. C. Jaubert Mrs. Jessie Fremont Comtesse Julie Hunyadi Mad. Emelie Vloeberghs Pearl Rivers Edmond Sablayrolles Mad. Fanny Pawles Princess de Sagan Elie Beauvillain Mad. Jules Cambon Rainbow *Mad. Marie Pavie Ernest Metz Snowflake *Franciska Pries Mad. Martha du Bourg Souvenir de Dr. Passot Golden Gate Mad. Pierre Guillot *Souvenir d'Espagne Henry M. Stanley Mad. Sadie Carnot *Souvenir de Mad. Metral J. B. Varonne Mad. Therese Deschamps Theresa Lambert Joseph Metral Miss Ethel Brownlow

HYBRID TEA.

Triomphe de Pernet Pere White Lady

HYBRID PERPETUAL.

*Charles Dickens

*Dinsmore
Earl Dufferin

*Gloire de Margottin

*Lady Helen Stewart
Mad. Joseph Desbois

*Marchioness of Lorne

*Queen of Queens

*Silver Queen
*Souvenir d'Alphonse
Lavalle

Vick's Caprice

NOISETTE OR CHAMPNEY.

Comte Geo. de Roq. Bouisson

Pink Rover

Jeannie Dickson

L'Ideal

General Gollection of Roses.

Price, 25 cts. each; \$2 per 10; \$18 per 100. Standards, \$1 each.

TEA OR EVER-BLOOMING.

*A. Bouquet Aline Sisley *Alphonse Karr *Amazone *Annie Cook *Annie Oliver Archduchess Isabella Baron de St. Threviers Bella *Belle Lyonnaise *Bon Silene Bouquet d'Or *Bougere Camille Raoux *Catherine Mermet *Charles Legrady *Charles Rivolli Claudius Levet Climbing Devoniensis Comtesse Anna Thun *Comtesse de Caserta Comtesse Horace de Choiseul *Comtesse Riza du Parc *Coquette de Lyon *Cornelia Cook *Devoniensis *Dr. Grill *Duchesse de Brabant *Duchess of Edinburgh Duc de Magenta Edmond de Biauzat *Edouard Gontier *Elize Sauvage *Empress Marie of Rusa sia Estelle Pradel *Etoile de Lyon Eugene Petitt

*General de Tartas *Gloire de Dijon *Gold of Ophir (Ophirie) *Grace Darling *Homer *Hon. Edith Gifford *Innocente Pirola *Isabella Sprunt *Jean Pernet Jules Finger Lady Stanley *La France La Nankeen *La Nuance *La Sylphide Laura de Fenelon *Letty Coles Louise de la Rive Louise de Savoie Louis Richard *Luciole *Comtesse de Frigneuse Madame Agatha Nabon-Marie Guillot *Madame Bravy *Madame Camille *Madame Chedanne Guin-*Marquis de Vivens Madame Celine Noirey *Madame Cusin Madame David Madame Devacout Madame Dubrocca Madame de Vatry Madame Etienne *Madame de Watteville Madame F. Brassac *Madame Falcot Madame Honore Defres-*Princess Vera Madame Hoste *Madame Joseph Schwartz

*Madame Lambard Madame Lazarine Poitzeau Madame Leon Fevrier Madame Phillip Kuntz *Madame Margottin Madame Marie Berton *Madame Maurice Kuppenheim Madame Melanie Willer-*Madame Pauline La-Madame Remond Madame Schwaller *Madame Scipion Cochet *Madame Welch *Mad'lle Claudine Per-Mad'lle Marie Moreau Marie d'Orleans *Marie Lambert Marie Sisley *Marie Van Houtte Maud Little Melanie Soupert *Narcisse *Niphetos Niphetos, Climbing *Perle des Jardins *President *Papa Gontier *Princess Hohenzollern Princess of Wales *Princess Stephanie *Reine Marie Pia *Reine Marie Henriette Rose Nabonnand *Safrano

Flavien Boudillon

*Exadelpha

*Sappho

*Shirley Hibberd

*Sombreuil

Souv. d'Admiral Courbet*Sunset

*Souv. de Gabriel Drevet Suzanne Blanchet Souv. de Victor Hugo

Souv. de Germain de St. *The Bride

Souv. de Mad. Lambard Valle de Chamonix

*Souv. de Paul Neyron

Souv. de Wooton

*Souv. d'un Ami

Susanna Schultheis

*Triomphe deLuxemburg

Vicomtesse de Bernis Vicomtesse Folkestone Vicomtesse de Wautier Waban

*White Bon Silene

White Pearl

*Wm. F. Bennett

HYBRID TEA.

Augustine Guinosseau *Beauty of Stapleford Camoens

*Cheshunt Hybrid

*Countess of Pembroke

Distinction

*Duchess of Albany Duchess of Connaught Hon. Geo. Bancroft *Jean Lorthois

Jean Sisley

Meteor Michael Saunders

*Puritan

*Viscountess Falmouth

HYBRID PERPETUAL.

*Abel Carriere

*Abel Grand

*Alfred Colomb

*American Beauty

Ampere

*Anna Alexieff

*Anna de Diesbach

*Antoine Mouton

Augusta Mie

*Avocat Duvivier

*Baron de Bonstettin

*Baron Nathaniel de

Rothschild

*Baron Prevost

*Baroness Rothschild

*Belle Normande

*Black Prince

*Captain Christy

*Cardinal Patrizzi

Charles Lefebre

Comtesse de Mortemart

Comtesse de Serenye

*Duc de Cazes

Duchess of Bedford

Duchess of Norfolk

*Duchesse de Vallom-

brosa

Duchesse de Caylus

*Duke of Connaught

*Duke of Edinburgh

*Elize Boelle

*Empereur de Maroc

*Empress of India

*Fisher Holmes

Firebrand

Fontenelle

Francois Levet

*General Jacqueminot

*General Washington

*Giant des Battailles

Gloire Lyonnaise

*Glory of Cheshunt

Glory of Waltham

*Her Majesty

*Jean Liabaud

*JohnHopper

*La Reine

Lion des Combats

Lady Mary Fitzwilliam

*Louis Van Houtte

*Mabel Morrison

*Mad. Alfred Carriere

*Mad. Chas. Wood

Mad. Lacharme

*Mad. Gabriel Luizet

*Marshall P. Wilder

*Merville de Lyon

*M'dlle Annie Wood

*M'dlle Marie Maurand

*Magna Charta

*Marie Baumann

*Mons. E. Y. Teas

Mrs. Laing

*Mrs. John Laing

*Pæonia

*Paul Neyron

*Paul Verdier

*Pride of Reigate *Prince Camille de

Princesse A. de Broglie

Queen of Waltham

Rosy Morn

*Senator Vaisse

Star of Waltham

*The Queen

*Ulrich Bruner

*Victor Verdier

Violet Boyer

*Vulcan

*White Baroness

*Xavier Olibo

MOSS.

Aphelis Purpurea
Blanche Morreau
Capt. John Ingraham
Comtesse de Murinais
Elizabeth Rowe
Etna Moss
Glorie de Mezel

Glory of Mosses Henri Martin Hortense Vernet James Veitch Laneii Luxembourg Mad. Morreau Mousseline
Princess Adelaide
Prolific or Perpetual
White Moss
Salet
White Bath

NOISETTE OR CHAMPNEY.

*Aimee Vibert
Aimee Vibert, Climbing
Caroline Schmidt
*Celine Forestier

*Claire Carnot

*Cloth of Gold (Chromatella)

Jaune Despres

Jaune Despres

*Lamarque

*Reeve Solfater

*Wm. A

Mad.Alfred deRougemont
*Marechal Niel
*Reeve d'Or
Solfaterre
*Wm. A. Richardson

HYBRID NOISETTE.

Baronne de Maynard *Coquettes des Alps *Madam Alegatierre Mrs. Degraw Perfection des Blanches *Perle des Blanches

BOURBON.

Duchesse de Thuringe Empress Eugenie *Hermosa Hermosa, Climbing Mad. Isaac Perrier *Mrs. Bosanquet

*Queen of the Bourbons *Red Malmaison

*Sou. de la Malmaison

POLYANTHA.

*Annie Marie de Montravel Clotilde Soupert Docteur Reymont Etoile d'Or
*Jeanne Drivon
*M'lle Cecile Bruner
*Mignonette

Pacquerette
*Perle d'Or
Princess Marie

PROVENCE.

Common Provence or Cabbage Rose

Tricolor de Flanders

BENGAL OF CHINA.

*Agrippina

*Coupe d'Hebe *James Sprunt

Queens Scarlet

BANKSIA.

White

Yellow

PRAIRIE.

Baltimore Belle

Greville or Seven Sisters Prairie Queen

AUSTRIAN.

*Austrian Copper

*Harrisonii

*Persian Yellow

JAPAN.

Rugosa Alba Plena Rugosa Rubra

MISCELLANEOUS.

Cherokee, single
Fortune's Yellow,
(Evergreen)
*Musk, Fringed

Rosa Mundi, (Gallica) Rosa Villosa, (Apple Rose)

Rose)
Rivers Musk

Sweet Briar or Eglan-

*Stanwell's Perpetual York and Lancaster

Merbaceous, Bedding, and Border Plants.

| | Each. | Per 10. | Per 100. |
|--|--|------------------------------|--------------|
| Abutilons—In variety, 4-inch pots Achania—Malviviscus, 4 Armeria—(See Pink, Thrift) Clumps Arundinaria—(Variegated Ribbon Grass) Arundo—Donax Variegata, (Variegated Reed) Aspidistra—Lurida, 5-inch pots Banana—Abysinian (Musa ensete) " " 12x12 inch box 6 to 7 ft. " " 8 " pots 4 to 5 ft. " " 8 " ot 4 ft. " " 7 " " 2 to 3 ft. Candytuft—Evergreen Canna—(Indian Shot) 8 sorts " Crozy's New Strain, 12 best sorts Carnations—In bags Alegaterre, Buttercup, Crimson King. Grace Wilder, Hinzie's White, Lady Emma, Lizzie McGowan, Mary Anderson, Mrs. Mangold, Portia, Robert | 2 50 2 00 1 50 25 25 50 25 | 1 00 2 00 4 00 2 00 | 5 00 |
| Craig, Scarlet Gem, Silver Spray, Starlight, Tidal Wave, Trophy, Victoria. Chrysanthemum—General Collection New Varieties, best assortment Daisies—Assorted Echevaria—Secunda and Secunda Glauca. Elymus—Glaucifolius Eulalia—Gracillinum, (new) 3-inch pots Japonica Variegata, 3 Zebrina—large clumps Festuca—Glauca Fuchsia—In variety, double and single, 4-inch pots | 25 50 15 15 50 50 35 50 25 | 4 00 1 00 1 00 2 00 | 5 00 5 00 |

| | Each. | Per 10. | Per 100. |
|--|--|--|----------|
| | | | |
| Gazania—Splendens, 3-inch pots | 25 | 2 00 | |
| Geranium—In variety, double and single, best new | | 2 00 | |
| sorts, 4-inch pots | 25 | 2 00 | |
| Habrothamnus—Elegans, 4-inch pots | 50 | 2 00 | |
| Helianthus—(Dwarf Sunflower) | $\begin{vmatrix} 25 \\ 25 \end{vmatrix}$ | $egin{array}{ccc} 2 & 00 \ 2 & 00 \ \end{array}$ | |
| Homorocallia (Day Lily) | 25 | 2 00 | |
| Hemerocallis—(Day Lily) | 25 | 2 00 | |
| Inopsidium— | 15 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 00 |
| Larkspur—(Delphinium formosum) | 25 | 1 00 | 5 00 |
| Lily of the Valley—Clumps | 50 | | |
| Marguerites—3 varieties | 25 | $2 \ 00$ | |
| New Zealand Flax— | 50 | 2 00 | |
| " Variegated | 50 | | |
| " Colensoi | 1 00 | | |
| Pampas Grass— | 50 | | |
| " Variegated | | | |
| Pansy—Best strains | 10 | 50 | 3 00 |
| Pæony—Herbaceous, assorted colors | 25 | $\begin{vmatrix} 2 & 00 \end{vmatrix}$ | 3 00 |
| Pelargoniums—Duchess of Teck, Elaine, 4-in. pots | 50 | | |
| " Alexander de Napadiewiez, Duchess | | | |
| of Bedford, Improved Triomphe | | | |
| de St. Maude, Prince of Pelargo- | | | |
| niums, Prince of Wales, Princess | | | |
| of Wales, 4-inch pots | 40 | | |
| "Beauty of Oxton, Black Prince, Captain | | | |
| Rakes, California, Dr. Andre, Dr. | | | |
| Masters, Eureka, Embassy, Flor- | | | |
| ence, Fred Dorner, Jubilee, Leon- | | | |
| ard, Mabel, Madame Boucharlat, | E . | | |
| Madam Evrard, Milton, Mrs. John | | | |
| Saul, Occident, Perpetual, Prince | | | |
| of Teck, Princess Maud, Queen | | | |
| Victoria, 4-inch pots | 35 | | |
| " Agatha, Arvon, Cecilia, Claudia, Da- | | | |
| mon, Exchequer, Gloire de Paris, | | | |
| Lord Derby, Madame Thiabaut, | | | |
| Myra, Madame Meillez, Madam Vi- | | | |
| bert, Madame Ph. Zeller, Neptune, | | | |
| Oscar, Pilot, Plateau, Rustic, Rose | 1 | | |
| Celestial, Starlight, Striata elegans, | | | |
| Vincent and Zenobia, 4-inch pots | 25 | 0.00 | |
| Plumbago—Capensis and Lapænte | 25 | $\frac{2}{7} \frac{00}{5}$ | E 0.0 |
| Pyrethrum—(Golden Feverfew) | 10 | 75 | 5 00 |
| Ramie — | 25 | 2 00 | |
| Saxifraga—Umbrosa (London Pride) | 35 | | |

| | Each. | Per 10. | Per 100. |
|--|-------|---------|----------|
| Sempervivum—(House Leek) | 15 | 1 00 | 5 00 |
| Solanum—Capsicastrum, 3-inch pots 9 to 12 in. | 50 | | |
| Strelitzia—Regina, 12x12 inch box 2 to 3 ft. | 5 00 | | |
| " 8-inch pots | | | |
| Tritoma Uvaria—(Poker Plant) | 50 | | |
| Verbena—Assorted | 15 | 1 00 | 8 00 |
| Violets-Czar, Marie Louise, Neapolitan, Parmensis, | | | |
| Russian, Schöenbrun, Swanley White, and | | | |
| Victoria Regina | 25 | 2 00 | |

Bulbous and Tuberous Rooted Plants.

| Agapanthus—Umbellatus |
|--|
| |
| A a |
| Amaryllis—Belladonna 50 |
| " Defiance |
| " Formosissima 50 |
| " Johnsonii |
| " Lindenii |
| " Longifolia Alba (Crinum Capensis) 50 |
| " Lutea (Sternbergia) 25 |
| " Regina 75 |
| "Vittata |
| Caladium—Esculentum 50 |
| Calla Lily— 25 |
| " Variegated |
| Crinum—Amabile |
| Dahlia—Double and Single, fine assortment |
| Dielytra Spectabilis—(Bleeding Heart) 50 |
| Freesia—Refracta Alba |
| Gladioli—Red and Scarlet |
| " White and Light |
| " Yellow, in variety 15 1 00 |
| " Striped and Variegated 20 1 50 |
| " Mixed 10 75 6 0 |
| Hyacinths—Double and Single, Separate Colors 25 2 00 |
| Lily—Auratum (Gold-banded Lily) 50 |
| " Album 50 |
| " Candidum (St. Joseph's Lily) |
| " Longiflorum Harissii (Bermuda Lily) 50 |
| " Pardalinum 50 |
| " Rubrum 40 |
| " Tigrinum Splendens 50 |

| | Each. | Per 10. | Per 100. |
|---------------------------|-------|---------|----------|
| Montbretia—Crocosmiaflora | 25 | 2 00 | |
| Narcissus—In Variety | 25 | 2 00 | |
| Sternbergia—White | 25 | | |
| Tigridia—Conchiflora | 15 | 1 00 | |
| " Grandiflora | | 1 00 | |
| Tuberose—Double Italian | 15 | 1 00 | |
| " Pearl | 15 | | |
| " Albino, (New) | 25 | 2 00 | |
| Tulips—Single Mixed | 15 | 1 00 | |
| | | 1 | |

Aquatie Plants.

| | Each. | Per 10. | Per 100. |
|---|-------|---------|----------|
| Nelumbium Speciosum (Egyptian Lotus) | 1 00 | | |
| Nymphea—Flava (Florida Water Lily) | 50 | | |
| " Odorata (Fragrant Water Lily) | 50 | | |
| " Rosea (Fragrant Water Lily, | | | |
| "Odorata (Fragrant Water Lily) "Rosea (Fragrant Water Lily, Rose Flowering) | 2 50 | | |

CATALOGUES.

The following Catalogues are published, some annually, others at intervals as becomes necessary, and are mailed free to customers as soon as issued, and to all new applicants on receipt of amount, in stamps, named below.

- No. 1.—Descriptive Catalogue of Fruit Trees, Small Fruits, Figs, Olives, etc., 4 cents.
- No. 2.—Descriptive Catalogue of Shade and Ornamental Trees, Shrubs, Roses, Climbing Plants, etc., 8 cents.
- No. 3.—Price List, Free.


CALIFORNIA NURSERY COMPANY,


Nov. 1st, 1893.

Niles, Alameda Co., Cal.

INDEX.

| Page | Page | Page |
|---|-----------------------------------|----------------------------------|
| Abutilon52 | Distance for Planting 4 | Olea34 |
| Acacia | Dogwood 39 | Oleander34 |
| Achania52 | Dracæna | Olive |
| Agapanthus54 | Echevaria52 | Opuntia Ficus |
| Agave45 | Elder39 | Orange and Lemon |
| Ailanthus | Elm | Pæony, Herbaceous53 |
| Akebia | Eleagnus Jap30 | Pampas Grass53 |
| Almond, Fruiting11 | Elymus | Pandanus |
| " Flowering | Erythea | Pansy53 |
| Althea | Erythrina39 | Paulownia 23 |
| Alder | Escallonia30 | Passion Vine42 |
| Amaryllis54 | Eulalia52 | Peach |
| Ampelopsis | Eucalyptus31 | " Flowering" |
| Apple 5 | Euonymus | Pears6 |
| Apricot | Euonymus (Spindle Tree)39 | Pecan11, 2 |
| Aquatic Plants | Evergreen Trees and Shrubs25 | Pelargoniums |
| Arbor Vitæ | Exochordia39 | Pepper |
| Arbutus | Fabiana31 | Persimmons |
| Aristolochia41 | Festuca | Phasciolus |
| Aralia | Ficus | Phœnix |
| Araucaria 26 | Filaria31 | Photinia34 |
| Arunda donax | Filbert | Pine |
| Arundinaria | Figs10 | Pistachio Nut |
| Armeria | Forsythia 39 | Pittisporum35 |
| Ash 19, 25 | Freesia54 | Plumbago53 |
| Asparagus | Fruit Department | Plums 8 |
| A spidistra 52 | Fuchsia | " Flowering |
| Aucuba | Garrya31 | Podocarous |
| Aucuba 27 Azalea 27, 28 | Gazania53 | Poinciana35 |
| A 72ra Macrophylla 21 | Genista31 | Pomegranate |
| | Geranium53 | Flowering40 |
| Ванана | Gladioli | Polygula35 |
| | Gooseberries | Poplar23 |
| Beech 19. 25 | Grapes | Pritchardi45 |
| Berberry. 97 98 38 | Grevillea31 | Privet35, 36, 38 |
| Bignonia 41.42 | Guava | Prune9 |
| Birch 19 20 | Habrothamnus53 | Purple Fringe40 |
| Blackberry | Hardy Palms, Dracænas, Agaves | Pyrethram53 |
| B0X 28, 50 | and Yuccas43 | Quince, Fruiting10 |
| Box Elder (see Maple) | Hedge Plants38 | " Flowering 40 |
| Box Elder (see Maple). 22 Brachychiton. 28 | Heath31 | Rapheolepsis36 |
| Kranoa 40 | Helianthus53 | Ramie |
| Broussonnettia 20 Broom 38 | Hemerocallis53 | Raspberry |
| Broom | Herbaceous Bedding and Border | Redwood36 |
| Buckeye | Plants52 | Remarks 3 |
| Buddlea28 | Hints on Transplanting 4 | Rhamnus23 |
| Bulbous and Tuberous Rooted | Holly | Rhododendron36 |
| Plants | Hollyhocks53 | Rhodotypus Kerrioides40 |
| Butternut | Honevsuckle 30 41 | Rhubarb |
| Camphor Tree29 | Hop Roots 19 | Roses |
| Candytuft52 | Hop Roots 19 Horse Chestnut 20 | Rule for No. of Plants to Acre 4 |
| Caladium | Horse Radish | Sabal45 |
| California Bay Tree28 | Hovenia13 | Saxafraga53 |
| " Big Tree28 | Hoya41 | Seaforthia45 |
| " Nutmeg 28 | Hyacinth54 | Sea Kale |
| Calla Lily | Hydrangea39 | Serissa36 |
| Callistemon28 | Inopsidium53 | Sempervivum54 |
| Calycanthus38 | Ivy41, 42 | Service Tree23 |
| Canna | Jasmine | Silk Vine |
| Carnation | Judas Tree | Solanum |
| Catalpa. 20 | Juniper | Sollya |
| Camelia | Kadzura | Sophora |
| Carob | Kentucky Coffee Tree21 | Smilax42 |
| Caragana38 | Kolreuteria Paniculata21 | Snow Ball40 |
| Cassia | Laburnum21, 25 | Snowberry40 |
| Casuarina29 | Larch | Special Notice 3 |
| Ceanothus29 | Larkspur53 | Spirea40 |
| Cedar29 | Laurel32 | Spruce36, 3 |
| Cephalotaxus | Laurustinus | Sterculia |
| Cestrum29 | Lemon Verbena39 | Sternbergia55 |
| Cherry 7 | Libocedrus32 | Strawberry |
| " Weeping | Ligustrum32, 38 | Strelitzia54 |
| Chestnut | Lillies54 | Sumach40 |
| Chamærops | Lily of the Valley 53 | Sycamore |
| Chamæcerasus38 | Lilac39, 40 | Tecoma |
| Choisya29 | Limes | Tamarix23 |
| Clianthus41 | Linden21, 25 | Tasconia42 |
| Clematis41 | Locust21 | Taxodium28 |
| Climbing and Trailing Plants41 | Loquat | Tigrida55 |
| Cocos44 | Magnolia, Deciduous21 | Texas Umbrella24 |
| Corchorus38 | " Evergreen 33, 34 | To Correspondents 2 |
| Corynocarpus29 | Maiden Hair Tree21 | Thorn |
| Chrysanthemums52 | Mahonia34 | Thujopsis |
| Crab Apple | Mandevillea42 | Torreya35 |
| Crape Myrtle39 | Manzanita34 | Tree Pæony40 |
| Criatægus | Maple22 | Tritoma (Poker Plant) |
| Crinum | Marguerites53 | Tuberose |
| Cryptomeria29 | Mediar | Tulips |
| Current | Metaleuca34 | Tulip Tree |
| Currents Flowering | Metrocideros | Umbrella Pine |
| Currants, Flowering39 | Miscellaneous Herbs | |
| Cycas | Mock Orange (Philadelphia)40 | Veronica |
| Cypress | Montbrettia | Viburnum37, 40 |
| Dahlia | Mountain Ash | Vinca 42 Violets 54 |
| Daisies | | Virginia (Yellow Wood)24 |
| Dasylirion | Myrtle | Walnuts |
| Deciduous Ornamental Trees19 | Narcissus | Washingtonia |
| "Flowering Shrubs38 | Nectarines 10 | Weigelia |
| Weeping Trees25 | New Zealand Flax53 | Willow |
| Deutzia | Number of Plants to Acre4 | Wisteria |
| Dewberries | Nelumbium | Yew |
| Dielytra (Bleeding Heart)54 | Nymphea | Yucca |
| Diosma 30 | Oak | |





CALIFORNIA FAN PALM.